Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRINCETON NURSERIES

WM. FLEMER'S SONS, Inc.



1937
FALL
PRICE LIST
WHOLESALE

PRINCETON, N. J.

TO THE TRADE

Please Note:

This wholesale price list contains only varieties and sizes which we have in quantity and which are most commonly used by the wholesale trade.

Our retail catalogue contains our complete list of material and includes many rare and unusual items not listed in this book. Retail catalogue will be gladly mailed on request.

We specialize in material wanted for both Private and Public Landscape Work. Our inventory includes not only specimen stock but large quantities of material for massing and screening. We suggest that you send us complete lists on which we are prepared to quote attractive prices because of our comprehensive inventory and large scale production.

PRINCETON NURSERIES

Telephone
Princeton 1776

Conditions of Sale PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice. Increases may be made to include any Federal or State taxes levied on sales or any increase in the cost of labor or material caused by Federal or State legislation or regulation.

TERMS AND DISCOUNTS

TERMS: 2 per cent discount for payment in 10 days from date of invoice. Accounts due first of second month following date of invoice. These terms are offered to those with established credit; otherwise cash or satisfactory references are required.

Special cash discount: 5 per cent for payment with order.

C.O.D. Shipments: In order to insure acceptance, orders for C.O.D. shipment should be accompanied by one-third of the amount of the order.

PRICES ARE F.O.B. KINGSTON, N. J.

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a formula which has been adopted by the American Association of Nurserymen.

We recommend that all varieties marked with an asterisk (*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

Should any article be desired balled and burlapped, which is not so designated in the catalogue, there will be the following scale of charges:

B & B SCHEDULE

Shrubs	Trees
2 to 3'	6 to 8'
3 to 4'	8 to 10′ 1.50
4 to 5'	1 to $1\frac{1}{2}$ "
5 to 6'	1½ to 2" 3.00
6 to 8'	2 to $2\frac{1}{2}$ " 5.00
8 to 10' 1.50	$2\frac{1}{2}$ to 3" 7.00
10 to 12' 3.00	3 to 4" 9.00

SCHEDUI	LE OF	TRU	JCK D	ELIVI	ERY C	HARO	ES
VALUE GF ORDER	zone 1 1 to 25 mi.	zone 2 25 to 50 mi.	zone 3 50 to 75 mi.	75 to	zone 5 100 to 125 mi.	125 to	150 to
\$1000 or more \$500 to \$1000 \$200 to \$ 500 \$100 to \$ 200 Less than \$100	FREE 3%		FREE 5% 6% 9% \$13.00	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

Boxing Charges

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	.75	1.00	1.25	1.50	1.75	2.00	2.5 0
6 ′	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8 ′	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10 ′	1.70	2.50	2.75	3.25	3.5 0	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

CARLOADS

We have our own railroad siding and are equipped to load and forward carload lots to all points.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

-€{ A }}	Unit 1-4	Price in Quant 5-24 2	
ABELIA grandiflora, 3'-4'		Glossy A	
18 to 24 in., B. & B	.60	•	
2 to 3 ft., B. & B	.75		
ABIES concolor, 70'-80'		White	e Fir
18 to 24 in., B. & B 2 to 2½ ft., B. & B	.75 1.10		.50 .75
2½ to 3 ft., B. & B.	1.50		1.00
3 to 4 ft., B. & B	2.25		1.50
4 to 5 ft., B. & B			2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
— firma, 60'-75'		Mome	e Fir
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B	2.40	2.00	
4 to 5 ft., B. & B	3.75	3.00	
— fraseri, 50'-60'	60	Frase	r Fir
18 to 24 in., B. & B	.60		
2 to 2½ ft., B. & B	1.20 1.75		
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
— nordmanniana, 80'-100'	, 0	Nordmanı	n Fir
15 to 18 in., B. & B	1.25		
18 to 24 in., B. & B		1.50	
- douglasi (See PSEUDOTSUGA	dono	rlaci)	
— pectinata, 50'-60'	uoug	Silve	r Fir
18 to 24 in., B. & B	1 25		
2 to 2½ in., B. & B			
— pinsapo, 70'-80'		Spanisl	
18 to 24 in., B. & B.	1.25	1.00	
2 to 2½ in., B. & B	1.75	1.50	
Spruce (See PICEA)		77.44.1	. 171:
— veitchi, 15 to 18 in., B. & B	00	Veitch .75	ı Fir
18 to 24 in., B. & B			
,		00	
ACANTHOPANAX pentaphylum,			ralia .18
18 to 24 in 2 to 3 ft	.27 .37	.22 .30	.16
3 to 4 ft			
ACER campestre, 25'-30'		Hedge M	
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft			
8 to 10 ft	3.75	3.00	2.50
— dasycarpum, 60'-80'		Silver M	_
6 to 8 ft	.75		.50
8 to 10 ft	.90		.60
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	$\frac{1.00}{1.20}$.90 1.00	.70 .80
10 to 12 ft.—1½ to 1¾ in	1.50		
12 to 13 ft.—2 to 2½ in	1.90	1.50	
13 to 14 ft.—2½ to 3 in	2.60	2.20	
14 to 16 ft.—3 to 3½ in	3.75	3.00	2.50
14 to 16 ft.—3½ to 4 in	5.25	4.40	3.50

ACER—continued	Unit P	Price in Qua 5-24	antities 25-249
—pyramidale, 75'		dal Silver	_
10 to 12 ft.—1½ to 1¾ in	1.50	1.25	
10 to 12 ft.—172 to 174 m	1.90	1.50	
12 to 14 ft.—2 to 2½ in			
12 to 14 ft.—2 to 2/2 in	3.30		
—wieri, 60'-80'		r Cutleaf	Maple
8 to 10 ft.—1½ to 1½ in	1.10	.90	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.50	1.20	
11 to 12 ft.—1¾ to 2 in	1.95	1.60	
12 to 13 ft.—2 to 2½ in		2.00	
13 to 14 ft.—2½ to 3 in	3.00	2.50	
— ginnala, 10'-12'		Amur	Maple
3 to 4 ft	.60	.50	.40
4 to 5 ft	.95	.75	.60
5 to 6 ft	1.20	1.00	.85
6 to 8 ft	1.70	1.35	1.10
8 to 10 ft	2.10	1.75	1.40
— negundo 60'		\mathbf{B}	xelder
8 to 10 ft	.60	.50	
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in	.80	.65	
10 to 12 ft.—1½ to 1¾ in	1.10	.90	
10 to 12 ft.—134 to 2 in	1.50	1.25	
12 to 14 ft.—2 to 2½ in	2.10	1.75	
— palmatum atropurpurem, 6'	-8′		
'		Japanese	Maple
12 to 15 in., B. & B	.70	.55	.45
15 to 18 in., B. & B	.95	.75	.60
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	1.90		1.25
2½ to 3 ft., B. & B	3.00	2.50	2.00
3 to 4 ft., B. & B	3.75	3.00	2.50
4 to 5 ft., B. & B	6.75	5.50	4.5 0
——————————————————————————————————————	le Cut	tleaf Jap.	Maple
12 to 15 in., B. & B	1.20	1.00	
15 to 18 in., B. & B		1.50	
18 to 24 in., B. & B			
2 to $2\frac{1}{2}$ in., B. & B	4.10	3.50	
		rple Jap.	Maple
15 to 18 in., B. & B		.95	
18 to 24 in., B. & B	1.50	1.25	1 4 1
2 to $2\frac{1}{2}$ in., B. & B	2.25	1.80	1.45
— — novum, 6'-8'			
12 to 15 in., B. & B	.75	.60	.5 0
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.50	1.25	1.00
2 to 2½ ft., B. & B	2.25		1.45
2½ to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	4.50	3.75	3.00
— — crispum, 6'-8'	Cre	sted Jap.	Maple
18 to 24 in		1.25	
2 to 3 ft		2.20	
3 to 4 ft	3.75	3.00	2.50

ACER—continued		rice in Qua	
nonncylvanioum (strictum) 9	1-4	_	25-249 Manlo
— pennsylvanicum (striatum), 20 3 to 4 ft	.60	Striped .50	maple
4 to 5 ft	.95	·	
5 to 6 ft	1.25		
6 to 8 ft	1.65	1.35	
— platanoides, 50'-75'		Norway	
8 to 10 ft	1.35	1.10	.90
8 to 10 ft., 1½ to 1½ in	1.40 1.70	1.20 1.40	1.00 1.20
10 to 11 ft., 1½ to 1¾ in	2.00	1.40	1.40
12 to 14 ft., 2 to 2½ in	2.60	2.20	1.75
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.00	2.50	2.00
13 to 15 ft., $2\frac{1}{2}$ to 3 in	4.10		
14 to 16 ft., 3 to 3½ in	6.00	5.00	4.00
— — schwedleri, 40'-60'		chwedler	
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft.—1½ to 1½ in	2.60 3.00	2.20 2.50	1.75 2.00
10 to 11 ft.—1½ to 1¾ in	3.50 3.50		2.00
12 to 14 ft.—2 to 2½ in	3.75		
12 to 14 ft.—2½ to 2½ in	4.50		
— rubrum, 50'-75'	Red	or Scarlet	Maple
6 to 8 ft	2.25	1.90	1.50
9 to 12 ft., 1½ to 1¾ in	3.75		
10 to 12 ft., 13/4 to 2 in	4.75		
12 to 14 ft., 2 to 2½ in	5.50	4.50	
12 to 14 ft., 2½ to 2½ in		5.50 6.50	
- saccharum, 50'-75'	0.00		Maple
6 to 8 ft	1.10	.95	.75
8 to 10 ft.	1.50	1.25	1.00
10 to 11 ft., 1¼ to 1½ in	1.90	1.50	
11 to 12 ft., 1½ to 1¾ in	2.25	2.00	1.50
12 to 14 ft., 13/4 to 2 in	2.60	2.20	1.75
12 to 14 ft., 2 to 2½ in	3.00 3.75		2.00 2.50
14 to 16 ft., 2½ to 3 in	4.20	3.50	<u> </u>
— spicatum, 20'-30'		Mountain	Maple
2 to 3 ft	.60		.40
3 to 4 ft	.95		.60
4 to 5 ft	1.25	1.00	
ACTINIDA arguta, 20'-30']	Bower Ac	tinidia
2 yr., 2 to 3 ft	.30		.20
3 yr., 3 to 4 ft	.37	.30	.25
AESCULUS hippocastanum, 60'-8		Horsech	
3 to 4 ft	.75		.50
4 to 5 ft	1.00 1.50		.65 1.00
6 to 8 ft	1.90	1.50	
AILANTHUS glandulosa, 50'60'		Tree of F	Ieaven
5 to 6 ft	.95		
6 to 8 ft	1.25		
8 to 10 ft	1.90	1.25	
AKEBIA quinata, 15'-20'		Fiveleaf A	
2 yr	.27	.22	.16

	Unit Pric	e in Quai	ntities
	1-4	5-24	
ALNUS glutinosa, 70'-80'	Eu	ropean	Alder
6 to 8 ft	1.00	.80	
8 to 10 ft	1.25	1.00 1.25	
10 to 12 ft	1.50 1.90	1.50	
14 to 16 ft	2.10	1.75	
— incana, 40'-50'			
2 to 3 ft	.42	.35	
3 to 4 ft	.52	.45	
4 to 5 ft	.7 5	.60	
AMELANCHIER canadensis			
(botryapium), 20'-30'		ny Sha	
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— laevis, 20'-30'	Alleghe	•	adblow
2 to 3 ft	.60 .90	.50 .75	
4 to 5 ft		1.00	
5 to 6 ft	1.50	1.25	
AMORPHA fruticosa, 8'-10'		Indi	gobush
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37 .45	.30 .37	.25
6 to 8 ft	.60	.50	.40
AMPELOPSIS heterophylla 25'-8	30'		
2 year	Porcelaii	n Amp .30	elopsis .25
— humulifolia, 25'-30'		p Amp	elopsis
2 year	△ Ħ		.25
3 year		.37	.30
quinquefolia, 30'-50'	Vir	ginia C	_
2 year light		.10	.08
2 year	.18	.16	.12
3 year	.25	.20	
— quinquefolia engelmanni, 30'-4			
			reeper
1 year	_	.10 .16	.08 .12
2 year 3 year		.20	.1.
— tricuspidata (veitchi), 40'-50'			ton Ivy
2 year, 12 to 18 in		.22	.18
2 year, 18 to 24 in	.37	.30	.25
2 year, 2 to 3 ft	.52	.45	.35
AMYGDALUS nana (See Prunus	s glandu	losa)	
— persica alba, rosea and ruba		_	
2 to 3 ft		.25 .30	.20 .25
3 to 4 ft 4 to 6 ft		.30 .45	.25
ANDROMEDA arborea (See OXY			.00
catesbaei (See LEUCOTHOE)		OMI)	
japonica (See PIERIS)			
ARALIA pentaphyllum (See ACA	NTHOP	ANAY	\
ponowpinymum (Dec AOA		THITT	,

		Price in Quan	
ARALIA spinosa, 18'-20'	1-4	-	25-249
2 to 3 ft	20	Hercule	-
3 to 4 ft	.30 .45	.25 .37	.20
4 to 5 ft	.52	.45	_
5 to 6 ft	.70	.55	.45
6 to 8 ft	.90		.60
8 to 10 ft	1.30	1.05	.85
ARCTOSTAPHYLOS uva-ursi	0.77		rberry
2 year pots	.37	.30	.25
ARONIA arbutifolia, 6'-8'		Red Choke	eberry
12 to 18 in		.25	
18 to 24 in		.37	.30
2 to 3 ft	.60	.50	.40
— brilliantissima, 6'-8' Bril			
12 to 18 in			.20 .30
2 to 3 ft		.57 .50	
— atropurpurea, 6'-8'		rple Choke .60	
3 to 4 ft			.65
5 to 6 ft		.95	.75
— melanocarpa (nigra), 8'-10'	$\mathbf{B}\mathbf{l}$	ack Choke	eberry
18 to 34 in			.30
2 to 3 ft	.60	.50	
3 to 4 ft 4 to 5 ft	.75	.60 .80	.50 .65
5 to 6 ft			.85
AZALEAS			
AZALEA amoena, 3'-4'		Amoena A	zalea
9 to 12 in., B. & B	. 60	.50	.40
12 to 15 in., B. & B	.80		.50
15 to 18 in., B. & B	1.00		.70
18 to 24 in., B. & B	1.50		1.00
2 to 2½ ft., B. & B	1.90	1.50	1.25
arborescens 10'-12'		Sweet A	zalea
	1.50		
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	2.50	Flame A	72162
•	1.10		.75
15 to 18 in., B. & B 18 to 24 in., B. & B	1.65		
2 to 2½ ft., B. & B	2.00	1.7	
$2\frac{1}{2}$ to 3 ft., B. & B	2.55		1.70
3 to 4 ft., B. & B	3.45	2.80	2.30
— Hinodegiri, 3'-4'	Hi	nodegiri A	zalea
8 to 10 in., B. & B	.60		.40
10 to 12 in., B. & B	.90	· ·	.60
12 to 15 in., B. & B	1.35 2.25		.90 1.50
— kaempferi, 4'-5'	2.20	Torch A	
12 to 15 in., B. & B	QΛ	.75	.60
15 to 18 in., B. & B	1.25		
18 to 24 in., B. & B	1.65	1.35	1.10

AZALEA—continued	Unit Price in Quantities 1-4 5-24 25-249
ACTAN TO A TY AND COUNTY	•
AZALEA KAEMPFERI Carmen—Rose-pink flowers, 9 to 15 to 18 in.	
	- 10 in . 10 to 15 in .
Cleopatra—Lilac-rose flowers, 9 to	5 12 III.; 12 to 15 III.,
15 to 18 in.; 18 to 24 in.	
Fedora—Salmon-rose flowers, 9 to	o 12 in.; 12 to 15 in.;
15 to 18 in.; 18 to 24 in.	
Louise—Light-rose flowers, 9 to	12 in.; 12 to 15 in.;
15 to 18 in.; 18 to 24 in.	
Othello—Brick-red flowers, 9 to	12 in.: 12 to 15 in.:
15 to 18 in.; 18-24 in.	11 , 11 ,
9 to 12 in., B. & B	.60 .50 —
12 to 15 in., B. & B	.90 .75
15 to 18 in., B. & B	., .
18 to 24 in., B. & B.	2.00
KURUME AZAL	
Benigeri—Brick-red flowers, 9 to	
_	12 m., 12 to 15 m.
Flame—Brilliant red flowers,	to 91/ ft + 91/ to 9 ft
15 to 18 in.; 18 to 24 in.; 2 to	· ·
Hatsugiri—Bright purple flowers	
·	o 15 in.; 15 to 18 in.
Pink Beauty—Single soft-pink flo	to 15 in.; 15 to 18 in.
Pink Pearl—Salmon-rose flowers,	
·	to 12 in.; 12 to 15 in.
Salmon Beauty—Large salmon-pi	•
	o 12 in.; 12 to 15 in.
9 to 12 in., B. & B	.60 .50 —
12 to 15 in., B. & B	.90 .75
15 to 18 in., B. & B	
18 to 24 in., B. & B	
2 to 2½ ft., B. & B	2.40 2.00 ——
$2\frac{1}{2}$ to 3 ft., B. & B	3.20 ————
- snow, large double white flow	ers,
9 to 12 in., B. & B	.90 .75 ——
12 to 15 in., B. & B	1.25
15 to 18 in., B. & B	1.50 1.25 —
- ledifolia alba, 4'-6', large sing	gle white flowers,
12 to 15 in., B. & B	1.10 .95 .75
15 to 18 in., B. & B	
18 to 24 in., B. & B	
— — lilacina, 4'-6'	
12 to 15 in., B. & B	1.20 1.00
15 to 18 in., B. & B	
18 to 24 in., B. & B	
— macrantha, 2½'-3'	Red Salmon Azalea
12 to 15 in B. & B	1.50 1.25 1.00
15 to 18 in., B. & B	
— mollis, 4'-6'	Chinese Azalea
12 to 15 in., B. & B	
15 to 18 in., B. & B	
— mucronulatum (See Rhododeno	
— nudiflora, 6'-8'	Pinxterbloom
15 to 18 in., B. & B	
2 to 2½ ft., B. & B	
2½ to 3 ft., B. & B	3.00 2.50 —
, =, = 	

AZALEA—continued	Unit f	rice in Qua 5-24	intities 25-249
— poukhanensis, 1'-3'	-	Korean	_
12 to 15 in., B. & B	1 25	1.00	1124104
15 to 18 in., B. & B.	1.25 1.50	1.00	
18 to 24 in., B. & B.	2.10	1.75	
2 to 2½ in., B. & B	3.00	2.50	
— rosea, 6'-8'		y Pinxte	rhloom
•		•	DIOOIII
15 to 18 in., B. & B	1.50	1.20	
18 to 24 in., B. & B		1.70	
2 to 2½ ft., B. & B	2.70	2.25	A 1
	1.00	-	Azalea
12 to 15 in., B. & B		1.50	1.25
15 to 18 in., B. & B	2.50	2.05	1.65
18 to 24 in., B. & B		2.50	2.00
— vaseyi, 5'-6'		inkshell	Azarea
18 to 24 in., B. & B	2.20	1.80	
2 to 2½ ft., B. & B	2.80	2.25	
2½ to 3 ft., B. & B	3.30	2.75	
3 to 3½ ft., B. & B	4.10	3.50	
viscosa, 4'-5'		Swamp	Azalea
2 to 2½ ft., B. & B	2.10	1.75	
2½ to 3 ft., B. & B	2.40	2.00	
— yodogawa 3'-4'	Y	odogawa	Azalea
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B	2.10	1.75	1.40
2 to 2½ in., B. & B	2.25	1.90	
{ B }			
BACCHARIS halimifolia, 9'-10'		Grounds	elbush
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.52	.45	.35
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
BENZOIN aestivale (LINDERA	benzo	, ,	
10 . 24 .	25	_	cebush
18 to 24 in	.27	.22	.18
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	
4 to 5 ft	.70	.55	.45
5 to 6 ft	.90	.75	.60
BERBERIS—HARDY EVER	GREE	EN TYPE	S
— gagnepaini			
9 to 12 in., 5 in. pots	.50	.45	.35
12 to 15 in., 5 in. pots	.75	.60	.50
15 to 18 in B. & B	1.00	.80	
— ilicifolia, 5'-6'		Holly Ba	rberry
15 to 18 in., B. & B	.50	.40	
18 to 24 in., B. & B	.75	.60	
2 to 2½ ft., B. & B	1.00	.80	
— julianae			
9 to 12 in., 3 in. pots	.30	.25	
12 to 15 in., 4½ in. pots	.45	.37	.30
15 to 18 in., 5 in. pots	.75	.60	.50
18 to 24 in., 5 in. pots	1.00		
— triacanthophora			
<u> </u>	.25	.20	.15
6 to 9 in., 3 in. pots	.25 .45	.37	.30
9 to 12 in., 4 in. pots	.52	.45	.35
Tee 111 Let 111e et 111. DUISeer	• • /	• • •	

BERBERIS—continued	Unit P	rice in Qua 5-24	ntities 25-249
— verruculosa	7	Warty Ba	rberry
6 to 9 in., 4 in pots	.50		
9 to 12 in., 5 in. pots	.75	.60	
12 to 15 in., 5 in. pots	1.00	.80	
BERBERIS—DECIDUO	ous T	YPES	
BERBERIS dielsiana			
18 to 24 in	.75	.60	
2 to 2½ ft	1.00	.80	
— thunbergii, 4'-5'	Japa	anese Ba	rberry
9 to 12 in	.08	.06	.05
12 to 15 in	.12	.10	.08
15 to 18 in	.15	.13	.11
18 to 24 in	.22	.20	.15
2 to 2½ ft	.30	.25	.20
	.37 ed Jap	.30 anese Ba	.25 rberry
12 to 15 in	.27	.22	.18
15 to 18 in	.33	.27	.22
18 to 24 in	.45	.35	.28
2 to 2½ ft	.52	.45	.35
2½ to 3 ft	.60 .75	.50 .60	.40
	./3		
— minor, 2'-3'		Box Ba	_
9 to 12 in	.22	.20	.15
12 to 15 in	.30		.20
15 to 18 in	.37	.30 an White	Dirah
*BETULA alba, 30′-50′ E		an white 1.25	1.00
8 to 10 ft	1.90		1.00
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	2.50	2.00	1.20
10 to 12 ft.—1½ to 1¾ in			
10 to 12 ft.—134 to 2 in			
*— alba fastigiata, 25'-40' Py	ramid	lal White	Birch
5 to 6 ft			
6 to 8 ft	3.25		
8 to 10 ft	4.00		
10 to 12 ft*—— laciniata, 30′-40′ C		Weeping	Birch
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.25		
8 to 10 ft., 1½ to 1½ in	2.75		
	3.00	2.50	
10 to 12 ft., 13/4 to 2 in	3.75	3.00	Dinah
*— lenta, 40'-50'	4 0-		Birch
6 to 8 ft	1.25	1.00	
8 to 10 ft.—1¼ to 1½ in	1.90	1.50	
10 to 12 ft.—1½ to 1¾ in	2.50 3.00		
*— lutea, 50′-70′	3.00	Yellow	Birch
5 to 6 ft	.95	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft., 1½ to 1½ in		1.50	
10 to 12 ft., 1½ to 1 ¾ in	2.50		

6 to 8 ft	1.4 1.25 1.90 2.35 300 3.50 Paper 1.50 1.90 2.25 3.00		25-249 r Birch
12 to 14 ft.—2 to 2½ in	1. 5 0 1.90		7 Birch 1.00
BIGNONIA grandfliora, 25'-40' Ch 2 year, grafts			reeper —
— Mad. Gallen, 25'-40' 2 year, grafts 3 year, grafts			.30 .40
radicans, 25'-40'	Γ	rumpetc	reeper
2 year, heavy3 year, heavy		.10 .15	
12 to 18 in., 2 yr	.22	Butterfly .20 .25	.15
12 to 18 in., 2 yr	.22 .30	.20	.15 .20
12 to 18 in., 2 yr	.22 .30 Veitcl .15 .22	.20 .25	.15 .20 lybush .10
12 to 18 in., 2 yr	.22 .30 Veitcl .15 .22 .27	.20 .25 n Butterf .12 .20 .22	.15 .20 lybush .10 .15 .18
12 to 18 in., 2 yr	.22 .30 Veitcl .15 .22 .27 (a) 12'- 3	.20 .25 n Butterf .12 .20 .22 15' Bo	.15 .20 lybush .10 .15 .18
12 to 18 in., 2 yr	.22 .30 Veitch .15 .22 .27 (a) 12'- 1 .60 .90 1.20 Dwa	.20 .25 n Butterf .12 .20 .22 15' Bo	.15 .20 lybush .10 .15 .18
12 to 18 in., 2 yr	.22 .30 Veitcl .15 .22 .27 .60 .90 1.20 Dwa .14 .30	.20 .25 n Butterf .12 .20 .22 15' Bo .50 .75 1.00	.15 .20 lybush .10 .15 .18 exwood ———————————————————————————————————
12 to 18 in., 2 yr	.22 .30 Veitcl .15 .22 .27 .60 .90 1.20 Dwa .14 .30	.20 .25 n Butterf .12 .20 .22 15' Bo .50 .75 1.00 rf Box H	.15 .20 lybush .10 .15 .18 exwood ———————————————————————————————————
12 to 18 in., 2 yr	.22 .30 Veitch .15 .22 .27 .60 .90 1.20 Dwa .14 .30 .50	.20 .25 n Butterf .12 .20 .22 15' Bo .50 .75 1.00 rf Box H .11 .25 .40	.15 .20 lybush .10 .15 .18 exwood ——— Edging .09 .20 —— yberry .15
12 to 18 in., 2 yr. 18 to 24 in., 2 yr. — veitchiana, 5'-6' 1½ to 2 ft., 2 yr. 2 to 3 ft., 2 yr. 3 to 4 ft., 2 yr. BUXUS sempervirens (bush form 12 to 15 in. B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. — suffruticosa, 3'-4' 4 to 6 in. 6 to 8 in., B. & B. 8 to 10 in., B. & B. CALLICARPA japonica, 3'-4' 18 to 24 in. 2 to 3 ft.	.22 .30 Veitcl .15 .22 .27 .60 .90 1.20 Dwa .14 .30 .50	.20 .25 n Butterf .12 .20 .22 15' Bo .50 .75 1.00 rf Box H .11 .25 .40 se Beaut .20 .22 se Beaut .20	.15 .20 lybush .10 .15 .18 exwood ——— Edging .09 .20 —— yberry .15 .18 yberry .15

		ice in Qua	
CALLUNA vulgaris, 1'-2'	1-4		25-249 eather
2 year	.30	.25	
3 year	.37	.30	
4 year	.50	.40	
— alba, white flowers.		• • •	
,			1-
—— alporti, bright green folia		_	
—— humilis, bright green folia	ge, whi	te flowe	rs.
— pilosa, white flowers.			
rosea, bright green foliage,	rose-co	olored fl	owers.
—— rubra, spreading habit, pu			
rubiu, spreading nabit, pu	ir prisir .	icu now	CI S.
CALYCANTHUS floridus, 4'-5'		Swee	tshrub
18 to 24 in	.27	.22	.18
2 to 3 ft	.33	.27	.22
3 to 4 ft	.45	.37	.30
		,0,	.00
CARAGANA arborescens, 10'-12'		erian Pe	ea-tree
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.14
3 to 4 ft	.27	.22	.18
4 to 5 ft	.33	.27	.22
5 to 6 ft	.45	.37	.30
— pygmaea, 4'-5'	Dw	arf Pea-	Shrub
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	
,			
*CARPINUS betulus, 60'-70'	Europ	ean Hor	nbeam
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft.	3.30	2.75	
6 to 8 ft	4.20	3.50	
*— caroliniana, 30'-40'	Ameri	can Hori	nbeam
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.10	3.50	2.75
10 to 12 ft	5.25	4.40	3.50
12 to 14 ft	6.75	5.50	4.50
CARYOPTERIS incana (mastacan	tha),2'	3 ' Blue	Spirea
12 to 15 in	.22	.20	.15
15 to 18 in	.30	.25	.20
CATALPA (bignonioides nana)	Um	brella C	atalpa
Large Heads, 2 yr., 5 to 6 ft	.75		
Extra Large Heads, 2 in	1.00		
Extra Large Heads, 21/4 in	1.25		
— speciosa, 30'-35'	W	estern C	atalpa
6 to 8 ft	.40	.30	
8 to 10 ft	.70	.55	
10 to 12 ft		.80	
2 to 2½ in	1.90	1.50	1.25
CEDRUS atlantica glauca, 35'-50	o' Blu	ie Atlas	Cedar
6 to 8 ft., B. & B	8.00		
8 to 9 ft., B. & B			
9 to 10 ft B. & B	12.00		

CEDRUS—continued	Unit P 1-4	rice in Qua 5-24	ntities 25-249
— libani, 35'-50'	Ce	dar of L	ebanon
3 to 4 ft., B. & B	3.00		
1 to 7 ft, D, & D	4.00		
4 to 5 ft., B. & B		 10	
5 to 6 ft., B. & B	5.50		
CELASTRUS orbiculatus, 15'-20'	Orie	ntal Bitte	ersweet
2 year, 18 to 24 in	.22	.20	.15
2 year, 2 to 3 ft	30	.25	•
3 year, 3 to 4 ft	.37		
		.can Bitte	_
•			.20
2 year, 18 to 24 in	.37		.25
	.37		
CELTIS occidentalis, 50'-60'			kberry
2 to 3 ft		.50	.40
3 to 4 ft	.75	.69	.50
4 to 5 ft	.90	.75	
5 to 6 ft	1.20	1.00	
CEPHALANTHUS occidentalis, 5	'_B'	Butt	onbush
18 to 24 in		.15	.12
2 to 3 ft		.20	.18
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.37	.30
5 to 6 ft		.50	.40
CERASUS, (See Prunus, page 46	`		
, ,	,	101 TE 1	
*CERCIDIPHYLLUM japonicum			ira-tree
8 to 10 ft	4.20	3.50	
10 to 12 ft	5.25		
12 to 14 ft	6.75	5.50	
CERCIS canadensis, 12'-15'	Aı	merican l	Redbud
2 to 3 ft	.60	.50	.40
3 to 4 ft	.85	.70	.55
4 to 5 ft			.75
5 to 6 ft			
6 to 8 ft			1.00
8 to 10 ft			1.00
10 to 12 ft			
			- • • •
— chinensis, 10'-12'		Chinese 1	
12 to 18 in			.25
18 to 24 in		.45	
2 to 3 ft			
3 to 4 ft	.90	.75	.60
CHAMAECYPARIS—THE	RETIN	NOSPORA	AS
CHAMAECYPARIS obtusa, 25'-3	5 ′	Hinoki (Cypress
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
6 to 7 ft., B. & B			
— — compacta, 4'-6'		Football (Cypress
15 to 18 in., B. & B			
18 to 24 in., B. & B	.00 00	75	
2 to 27 ft D & D	1 2 0	. / J 1 /\0	.00
2 to 2½ ft., B. & B	1.4U 1.45	1.00	1.10
2½ to 3 ft., B. & B			1.10
3 to 3½ ft., B. & B		1.75	
3½ to 4 ft., B. & B	2.60	2.20	1.75

CHAMAECYPARIS—continued	Unit P 1-4	rice in Qu 5-24	
— — crippsi, 10'-15'	Cripps	Golden	Cypress
12 to 15 in., B. & B		.60	.50
15 to 18 in., B. & B	1.10	.95	
18 to 24 in., B. & B		1.25	
2 to 2½ ft., B. & B			
2½ ft. to 3 ft B. & B		2.20	
3 to 3 ½ ft., B. & B			
. . .		Hinoki .75	Cypress .60
15 to 18 in., B. & B 18 to 24 in., B. & B	1.50	1.25	_
2 to 2½ ft., B. & B	1.80	1.50	
2½ to 3 ft., B. & B	2.40		1.60
3 to 4 ft., B. & B	3.30		
4 to 5 ft., B. & B		4.40	3.50
— nana, $2\frac{1}{2}'-4'$	Owarf	Hinoki	Cypress
12 to 15 in., B. & B		1.50	•
15 to 18 in., B. & B			
18 to 24 in., B. & B			
$2 \text{ to } 2\frac{1}{2} \text{ ft., B. \& B}$ $2\frac{1}{2} \text{ to } 3 \text{ ft., B. \& B}$	5.25 6.75		3.50 4.50
	_		Cypress
3 to 4 ft., B. & B	1.80	1.50	
4 to 5 ft., B. & B 5 to 6 ft., B. & B		2.00 2.75	
— pisifera, 25'-35'			nospora
18 to 24 in., B. & B		.50	
2 to 2½ ft., B. & B		.75	
2½ to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B		1.25	
4 to 5 ft., B. & B	2.40	2.00 2.50	
5 to 6 ft., B. & B			
— aurea, 25'-35' Golden 18 to 24 in., B. & B		ara Reti 50.	inospora .40
2 to 2½ ft., B. & B		.75	
2½ to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B	1.50	1.25	
4 to 5 ft., B. & B	2.60		
5 to 6 ft., B. & B	3.40	2.80	
6 to 7 ft., B. & B	4.90	4.05	3.25
— filifera, 15'-20'			inospora
15 to 18 in., B. & B		.50	
18 to 24 in., B. & B	.75	.60	/ -
2 to 2½ ft., B. & B		.80 1.25	
2½ to 3 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			- 25
— — aurea, 10'-12' Golden	n Thre	ead Ret	inospora
12 to 15 in., B. & B	75	.60	
15 to 18 in., B. & B	. 1.20	1.00	.80
18 to 24 in., B. & B	1.80	1.50	1.20
2 to $2\frac{1}{2}$ ft., B. & B	2.25	1.90	1.50

CHAMAECYPARIS—continued	Unit Pr 1-4	ice in Quan 5-24	
— plumosa 25'-35'	Plun	ne Retino	
12 to 15 in B. & B		.37	.30
15 to 18 in., B. & B		.55	.45
18 to 24 in., B. & B		.60	.50
2 to 2½ ft., B. & B		.75	.60
$2\frac{1}{2}$ to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B	2.25	1.90	1.50
5 to 6 ft., B. & B6 to 7 ft., B. & B			
- plumosa aurea, 20'-25' Gold			
12 to 15 in., B. & B	.45	.37	.30
15 to 18 in., B. & B	.60	.50	.40
18 to 24 in., B. & B	.90	.75	.60
2 to 2½ ft B. & B		.95	.75
2½ to 3 ft., B. & B		1.25	1.00
3 to 4 ft., B. & B	2.25	1.90 2.20	1.50 1.75
5 to 6 ft., B. & B			2.00
6 to 7 ft., B. & B			
— plumosa lutescens, 2½'-3' Yell	owplun		
15 to 18 in., B. & B			.40
18 to 24 in., B. & B 2 to 2½ ft., B. & B		.75 1.00	.60 .80
2½ to 3 ft., B. & B	1.50	1.25	
— squarrosa nana, 2½'-3'		f Moss C	
9 to 12 in., B. & B	.60	.50	
12 to 15 in., B. & B		.65	
— sulphurea, 20'-25' Sulph			ospora
12 to 15 in., B. & B	.50 .75	.40 .60	
18 to 24 in., B. & B		.80	
2 to 2½ ft., B. & B		1.10	
2½ to 3 ft., B. & B		1.30	
3 to $3\frac{1}{2}$ ft., B. & B		1.50	
— veitchi, 25'-30'		ss Retino	
12 to 15 in., B. & B	.37 .52	.30 .45	.25 .35
18 to 24 in., B. & B	.75	.60	.50
	./ 5	•00	
2 to $2\frac{1}{2}$ ft., B. & B		.75	.60
2 to 2½ ft., B. & B	.90 1.10	.75 .95	.60 .75
2½ to 3 ft., B. & B	.90 1.10 1.50	.75 .95 1.25	.60
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75	.75 .95 1.25 1.50	.60 .75
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75	.75 .95 1.25 1.50 2.25	.60 .75
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90	.75 .95 1.25 1.50	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 Wh	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25	.60 .75 1.00 —— getree .20
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 W1 .30 .37	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 W1 .30 .37 .52	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 W1 .30 .37 .52 .85	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 W1 .30 .37 .52 .85 1.10	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 W1 .30 .37 .52 .85 1.10 1.50	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70 .95 1.25	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 , W1 .30 .37 .52 .85 1.10 1.50 30'-40'	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70 .95 1.25	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 ' W1 .30 .37 .52 .85 1.10 1.50 30'-40' 1.10	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70 .95 1.25 Yellov .90 1.25	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 , W1 .30 .37 .52 .85 1.10 1.50 1.50 1.90	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70 .95 1.25 Yellov .90 1.25 1.50	.60 .75 1.00 ——————————————————————————————————
2½ to 3 ft., B. & B	.90 1.10 1.50 1.75 2.75 3.90 , W1 .30 .37 .52 .85 1.10 1.50 1.50 1.90	.75 .95 1.25 1.50 2.25 3.25 nite Frin .25 .30 .45 .70 .95 1.25 Yellov .90 1.25	.60 .75 1.00 ——getree .20 .25 .35 .55 .75 1.00 vwood

	Unit F	Price in Qua	antities
	1-4	5-24	25-249
CLEMATIS paniculata, 20'-25' Sw	$ ext{reet } \mathbf{A}$	utumn C	lematis
2 year			
3 year	.25		
CLEMATIS HYB	RIDS		
Henryi—Snow -white flowers.	101175		
Jackman—Violet-blue flowers.			
Mme. Edouard Andre—Wine-red	flower	rs.	
Romona—Sky-blue flowers. 2 year 6 in. pots	70	.55	.45
	.70		
CLETHRA alnifolia, 4'-5'			ersweet
18 to 24 in	.30	.25	
2 to $2\frac{1}{2}$ ft	.37 .45	.30	
2½ to 3 ft	.52	.37 .45	
4 to 5 ft	.70	.55	
5 to 6 ft	.85	.33 .70	.43
J to 6 It	.03	.70	
COLUTEA arborescens, 8'-10' Co	mmo	n Bladde	r-senna
2 to 3 ft	.30	.25	.20
3 to ft ft		.30	
4 to 5 ft	.50	.40	
CODNIC alla (cibinia) 0/ 10/			
CORNUS alba (sibirica), 8'-10'	1 Dno	nahad D	hoownood
		nched Do	
18 to 24 in		.20	
2 to 3 ft			.20
3 to 4 1t	.37	.30	.45
— — elegantissima, 6'-8'	ilverb	olotch De	ogwood
18 to 24 in	.30	.25	.20
2 to 3 ft			
3 to 4 ft	.60		
— alternifolia, 15'-18'		Blue De	ogwood
2 to 3 ft			
3 to 4 ft		.47	
4 to 5 ft	.75		
5 to 6 ft			
6 to 7 ft,	1.10	.95	.75
— amomum (sericea), 8'-9'		Silky De	ogwood
2 to 3 ft	30		.20
3 to 4 ft	.37		.25
4 to 5 ft		.37	
1 00 0 10	. 13	.07	.00
NURSERY-GROWN D			_
*— florida, 15'-25' Whi		vering D	_
2 to 3 ft		.50	.40
3 to 4 ft			.60
4 to 5 ft			.90
5 to 6 ft			
6 to 8 ft			
8 to 10 ft			
10 to 12 ft			
Extra Heavy Bushy Specimens	50	% additio	nal
*			
EXTRA CHARGE FOR DIGGING	DOG	WOODS	B. & B.

EXTRA CHARGE FOR DIGGING DOGWOODS B. & B. SEE B. & B. SCHEDULE, PAGE 1.

CORNUS—continued		rice in Qua	
	1-4	-	25-249
		ering Do	
2 to 3 ft	1.10 1.90	.9 5 1.50	.75 1.25
4 to 5 ft	3.40	2.80	2.25
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft	6.00	5.00	4.00
8 to 10 ft			5.75
10 to 12 ftExtra Heavy Bushy Specimens		8.00 % additio	6.75 nal
*— kousa, 16'-18'	K	lousa Do	gwood
18 to 24 in	.45	.35	
2 to 3 ft	.60	.50	
3 to 4 ft	.95 1.25	.75 1.00	
	1.50	1.00	
6 to 7 ft		1.75	
7 to 8 ft	3.00	2.50	
— mas, 20'-25'	Co	rnelian	-cherry
18 to 24 in	.37	.30	.25
2 to 3 ft	.50 .75	.45	.35 .50
3 to 4 ft		.60 .95	.30 .75
5 to 6 ft	1.50	1.25	1.00
— paniculata, 10'-12'		Gray Do	_
18 to 24 in	.30	.25	.20
2 to 3 ft	.45 .60	.37 .50	.30 .40
— sanguinea, 8'-10'		.50 Itwig Do	
18 to 24 in			
2 to 3 ft			
— stolonifera, 7'-8'		osier Do	_
18 to 24 in			.15 .20
2 to 3 ft		.25 ntwig Do	
12 to 18 in			.15
18 to 24 in		.25	
2 to 3 ft			.25
CORYLUS americana, 8'-9'		rican H	
3 to 4 ft			.25
5 to 6 ft	.60		
6 to 8 ft	.85		.55
COTONEASTER, acuminata, 10'-	12'		
4 to 6 ft., B. & B	1.50	1.25	
— acutifolia, 10'-12'	Peki	ng Coto	neaster
6 to 9 in., 3½ in. pots		.20	
9 to 12 in., 4 in. pots		.30 .30	
3 to 4 ft			
5 to 6 ft		.55	
— apiculata, 5'			
6 to 9 in., 3 in. pots	.50	.40	.35
9 to 12 in. 3½ pots		.60	
15 to 18 in., 5 in. pots	1.00		

COTONEASTER—continued	Unit 1-4	Price in Qu	antities 25-249
— congsta, 2'-3'	• •	, , , ,	
9 to 12 in., 3 in. pots	.50	.40	.35
— dammeri (chumifusa) 1'-2'			
6 to 9 in., 3 in. pots	.50	.40	.35
dielsiana, 6'-8'		iels Coto	
12 to 15 in., 3½ in. pots	.60 .75	.50 .60	.40
— foveolata, 6'-10'	.7 3	.00	.50
6 to 9 in., 4 in. pots	.30	.25	.20
9 to 12 in., 4 in. pots	.40	.30	.25
12 to 15 in., 4 in. pots	.50	.40	
•		chet Coto	
6 to 9 in., 3 in. pots 9 to 12 in., 5 in. pots		.25 .30	
12 to 15 in., 4 in. pots		30	.23
		yan Coto	neaster
6 to 9 in., 3 in. pots	.50	.40	
9 to 12 in., 4 in. pots			
— horizontalis (davidiana), 2'-3'		ock Coto	
6 to 9 in., 3½ in. pots 9 to 12 in., 3½ in. pots			.25
12 to 15 in., $3\frac{1}{2}$ in. pots	.75		
— — perpusilla, 2'-3'			
6 to 9 in., 3 in. pots	.60	.50	.40
9 to 12 in., 3½ in. pots	.75	.60	.50
— prostrata, 5'-6'			4.5
9 to 12 in., 3 in. pots		.50 .60	.40
— lindleyi, 6'-8'		iley Coto	neaster
6 to 9 in., 3 in. pots	.50	.40	——
— microphylla, 2'-3'		Roc	ekspray
6 to 9 in., 3½ in. pots	.40	.30	
9 to 12 in., 3½ in. pots	.50	.45	.35
12 to 15 in., $3\frac{1}{2}$ in. pots	.70	.55	
9 to 12 in., 4 in. pots	.50	.45	.35
12 to 15 in., 4 in. pots		.55	
— pannosa, 6'-8'	Silver	leaf Coto	neaster
6 to 9 in., 3 in. pots	.50	.40	.35
— racemiflora, 8'	<i>(</i> 0	50	40
9 to 12 in., 4 in. pots		.50 .60	.40
- rotundifolia (buxifolia), 7'-8' F			neaster
9 to 12 in., 4 in. pots			.35
12 to 15 in., 4 in. pots		.55	
— salicifolia, 10'-12' W	illow	leaf Coto	
9 to 12 in., 3 in. pots		.50	.40
12 to 15 in., 3½ in. pots 15 to 18 in., 4 in. pots		.60 .95	.50 .75
— simonsi, 5'-6'		ons Coto	
9-12 in., 3 in. pots			.35
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., 5 in. pots	.90	.75	

COTONEASTER—continued	Unit Price in Quantities 1-4 5-24 25-249		
— tenuipes, 5'-6'			
9 to 12 in., $3\frac{1}{2}$ in. pots			.50
*CRATAEGUS arkansana, 15'-20'			wthorn
2 to 3 ft	.60 .90	.50	
4 to 5 ft	1.20	.75 1.00	
* — arnoldiana, 20'		nold Ha	wthorn
2 to 3 ft	.75	.69	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
	1.90 2.25	1.50 1.90	1.25 1.50
8 to 10 ft		2.50	2.00
* — carrierei, 15'-20'	Carı	riere Ha	wthorn
3 to 4 ft	.90	.75	
4 to 5 ft	1.25 1.50	1.00 1.25	
6 to 7 ft	1.80	1.50	
7 to 8 ft	2.25	1.80	
* — coccinea, 15'-20'		cket Ha	
3 to 4 ft	1.00 1.45	.80 1.20	.65 .95
5 to 6 ft	1.45	1.20	1.10
6 to 7 ft	2.25	1.90	1.50
7 to 8 ft	2.70	2.25	1.80
8 to 10 ft	3.40	2.80	2.25
* — coccinioides, 15'-20'			
5 to 6 ft			
6 to 7 ft			
		gton Ha	wthorn
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	3.00	2.50	
* — crusgalli, 15'		cockspur	
3 to 4 ft			.75
5 to 6 ft			
6 to 7 ft			
* — mollis, 15'	Do	wny Ha	wthorn
5 to 6 ft			
6 to 7 ft	1.90		1.25 1.75
7 to 8 ft 8 to 9 ft			2.25
* — oxycantha, 12'-15'		lish Haw	
	<u>-</u> -90		.60
4 to 5 ft	1.10		.75
5 to 6 ft			1.00
6 to 7 ft	1.90 2.25	1.50	1.25 1.50
8 to 10 ft			2.00
* — — double pink, 12'-15' Dou	ıble P	ink Haw	
3 to 4 ft	.90	.75	
4 to 5 ft	1.50	1.25	1.00 1.25
5 to 6 ft	1.90	1.50	1.43

CRATAEGUS—continued	Unit 1-4	Price in Qu 5-24	uantities 25-249
* — — double white, 12'15' Double to 6 ft			vthorne
* — pauli, 12'-15' Pau	ıl En	glish Ha	wthorn
3 to 4 ft			
4 to 5 ft	1.40		
5 to 6 ft			
6 to 7 ft			
7 to 8 ft	2.50		
* —pedicellata, 15'-20'			
3 to 4 ft	.90	.75	.60
4 to 5 ft 5 to 6 ft		.80 1.00	.65 .80
6 to 7 ft		1.50	
7 to 8 ft		1.90	1.50
* — punctata, 25'-30'	De	otted Ha	wthorn
3 to 4 ft			.50
4 to 5 ft	.90		
* — submollis, 12'-15'	-	iebe <mark>c H</mark> a	
18 to 24 in	.55		.35
2 to 3 ft	.75		
3 to 4 ft4 to 5 ft	1.35	.80 1.10	.65 .90
+ to 3 it	1.00	1.10	.70
— pyracantha lalandi (See PYRA	ACAN	THA)	
CRYPTOMERIA japonica lobbi, 1	5′-20	,	
Old I Committee Tooling I		bb Cryp	tomeria
3 to 4 ft., B. & B			1.20
4 to 5 ft. B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	4.20	3.50	2.80
7 to 8 ft., B. & B	7.15	5.85	4.75
CYDONIA japonica, 4'-5'	\mathbf{Fl}	owering	Quince
12 to 18 in	.15	.12	.10
18 to 24 in	.22	.20	.14
%{ D }%			
DAPHNE cneorum, 12"-18"		Rose	Daphne
9 to 12 in., 5 in. pots			.50
12 to 15 in., 6 in. pots		.95	.75
15 to 18 in., 7 in. pots	1.50	1.25	1.00
— mezereum, 4'		ebruary	
10 to 12 in			
12 to 15 in	.52	.45 .55	
15 to 18 in	.70	.55	.+3
DEUTZIA gracilis, 3'		Slender	
9 to 12 in	.15	.12	.10
12 to 15 in		.15	
15 to 18 in		.20	.15
18 to 24 in	.30	.25	

DEUTZIA—continued	Unit F 1-4	Price in Qua 5-24	ntities 25-249
— — rosea, 3'	Rose I	Panicle D	eutzia
12 to 15 in	.15	.12	.10
15 to 18 in		.20	.15
18 to 24 in		.25	.20
2 to 3 ft	.35	.30	.25
— lemoine:, 4'-5'	$\mathbf{L}\epsilon$	emoine D	eutzia
15 to 18 in	.15	.12	.10
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
— magnifica, 9'-10'		t Flwd. D	eutzia
18 to 24 in		.12	.10
2 to 3 ft		.15	.12
3 to 4 ft		.22	.16
4 to 5 ft		.25	.20
5 to 6 ft	.45	.37	.30
— Mont Rose, 4'-5'			
18 to 24 in		.20	
2 to 2½ ft	.30	.25	
2½ to 3 ft		.30	
— scabra candidissima, 9'-10'		owflake D	
18 to 24 in		.12	.10
2 to 3 ft		.15	.12
3 to 4 ft		.22	.16
4 to 5 ft		.25	.20
5 to 6 ft		.37	.30
— scabra crenata fl. pl., 6'-8'			
18 to 24 in		.15	.12
2 to 3 ft		-	.15
3 to 4 ft			.20
4 to 5 ft		.30	.25
—— Pride of Rochester, 9'-10'			
18 to 24 in		.15	.12
2 to 3 ft			.14
3 to 4 ft		.22	.18
4 to 5 ft			.20
5 to 6 ft		.37	.30
DIERVILLA sessilifolia (lutea),		.1 1	
		sh-honeys	
18 to 24 in			.12
2 to 3 ft			.18
3 to 4 ft	.35	.30	.25
ELAEAGNUS angustifolia, 15'-1	18′	Russian	ı-olive
18 to 24 in		20	.15
2 to 3 ft		.25	.20
3 to 4 ft			.30
4 to 5 ft		.45	
6 to 8 ft		.90 1.25	
8 to 10 ft			0.000
— longipes, 6'-8'		erry Elae	_
18 to 24 in		.37 .45	.30 .37
2 to 3 ft			
3 to 4 ft		.75	.60
7 10 J II	50	./ J	.00

ELAEAGNUS—continued	Unit 1-4	Price in Qu 5-24	
— pungens reflexa, 10'-12' 12 to 18 in., 3 in. pots	Br .30	onze Ela .25	_
— umbellata, 8'-10'	Ant	umn Ela	eagnus
2 to 3 ft	.45	.37	.30
3 to 4 ft	.50	.45	_
4 to 5 ft	.70	-	
5 to 6 ft	.85	.70	.55
ELSHOLTZIA stauntoni, 4'-5'			
12 to 15 in	.25	.20	.15
15 to 18 in	.30 .35	.25 .30	.20
ENKIANTHUS campanulatus, 20'		.50	.25
		ein Enki	ianthus
12 to 15 in., B. & B	.95	.75	
15 to 18 in., B. & B	1.25		
18 to 24 in., B. & B	1.50	1.25	
EUONYMUS alatus, 9'-10'	Wii	nged Euc	onymus
18 to 24 in	.27	.22	.18
2 to 3 ft	.33	.27	.22
3 to 4 ft	.45 .60	.37 .50	.30
5 to 6 ft	.75	.60	.50
6 to 8 ft	.90	.75	.60
— — compacta, 4'-5'			
12 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
2 to 3 ft	.50	.45	
3 to 4 ft	.70	.55	.45
— americanus, 7'-8'		rook Euc	.
18 to 24 in	.30		.20
2 to 3 ft	.37 .45	.30 .37	
4 to 5 ft	.60	.50	
— bungeanus, 12'-14' Win	nterh	erry Euc	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35		
4 to 5 ft	.45	.37	
5 to 6 ft	.60		
6 to 7 ft	.75	.60	.50
17	ropea	ın Burni	-
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35 .50		
5 to 6 ft	.60	.50	.55
6 to 7 ft	.80	.65	
* — patens (sieboldianus), 6'-8'	Sprea	ding Euc	onymus
12 to 15 in	.20	.16	
15 to 18 in	.25		
18 to 24 in	.30	.25	
— radicans, climbing to 15'		Winter	creeper
3 to 6 in., 1 year	.15	.12	.10
6 to 9 in., 2 year	.20	.15	

EUONYMUS—continued	Unit P 1-4	rice in Quar 5-24	ntities 25-249
— — carrieri, 3'-4'	Glossy	Wintercr	eeper
9 to 12 in., 2 year	.20	.15	
12 to 15 in., 2 year	.25	.20	
15 to 18 in., 3 year	.30	.25	
—— colorata, 6'-12' Red	leaved	Wintercr	reeper
9 to 12 in., 2 year	.25	.20	.15
12 to 15 in., 3 year	.30	.25	.20
15 to 18 in., 3 year	.35	.30	.25
— — minimum (kewensis), 6"-12	" Baby	Winterci	reeper
3 in. pots	.25	.20	.15
— — variegatus,12"-15" Variega	tedleaf	Winterci	reeper
9 to 12 in., 2 year	.25	.20	
— — vegetus, 3'-4'	Bigleaf	Winterci	reener
9 to 12 in., 2 year			_
12 to 15 in., 3 year	.37	.30	.25
15 to 18 in., 3 year	.45		.30
EXOCHORDA grandiflora, 6'-9'		mon Pear	lbush
18 to 24 in	.18	.15	.12
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft		.37	.30
5 to 6 ft	.70	.55	.45
FAGUS americana, 75'-100'	A	American	\mathbf{Beech}
2 to 3 ft., B. & B		1.25	
3 to 4 ft., B. & B	1.90	1.50	1.25
4 to 5 ft., B. & B		2.25	1.80
5 to 6 ft., B. & B	3.75 5.00	3.00 4.00	2.50 3.50
sylvatica, 75'-100'		European	
18 to 24 in., B. & B	.75	.60	.50
2 to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B	2.25	1.90	1.50
5 to 6 ft., B. & B	3. 00	2.50	2.00
6 to 8 ft., B. & B	4.50	3.75	3.00
8 to 10 ft., B. & B		4.50	3.75
— asplenifolia, 20'-30'		Fernleaf	Beecn
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
5 to 6 ft., B. & B			
— — pendula, 25'-40'		Weeping	\mathbf{Beech}
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	6.00		
6 to 8 ft., B. & B		6.25	
8 to 10 ft., B. & B	10.00	8.00	
3			

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

FAGUS—continued	Unit Pri 1-4	ce in Qua 5-24	entities 25-249
— — purpurea, 60'-75' Pur	rple Eu	ropean	Beech
4 to 5 ft., B. & B	3.00		
5 to 6 ft., B. & B			
	vers Eu	ropean	Beech
2 to 3 ft., B. & B	2.50		
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	4.50		
FORSYTHIA intermedia, 6'-8'	Bor	der Fo	rsythia
18 to 24 in	.15	.12	.10
2 to 3 ft	.18	.15	.12
3 to 4 ft		.20	.18
4 to 5 ft		.27	.22
5 to 6 ft	.45	.37	.30
— intermedia spectabilis, 6'-8' Sh			
18 to 24 in		.14	.12
2 to 3 ft		.16	.14
3 to 4 ft		.20	.18
4 to 5 ft		.30	.25
5 to 6 ft	.45	.37	.30
— ovata, 6'-8'		ean Fo	rsythia
18 to 24 in		.27	.22
2 to 3 ft	.40	.30	.25
— suspensa, 4'-6'	Weep	ing Fo	rsythia
18 to 24 in		.12	
2 to 3 ft		.17	
3 to 4 ft		.22	
4 to 5 ft			
5 to 6 ft	.50	.45	.35
— — fortunei, 7'-8'	Fort	une Fo	rsythia
18 to 24 in		.12	.10
2 to 3 ft		.15	
3 to 4 ft			.16
4 to 5 ft		.25 .37	.30
5 to 6 ft	45	.37	.30
— viridissima, 7'-8'			rsythia
18 to 24 in		.12	.10
2 to 3 ft			
3 to 4 ft		.20	
4 to 5 ft	30	.25	.20
FRAXINUS americana, 70'-80'			nite Ash
6 to 8 ft		.75	.60
8 to 10 ft		.95	
8 to 10 ft., 1½ to ½ in	1.50	1.25	
10 to 12 ft., 1½ to 1¾ in		1.50	
12 to 14 ft., 13/4 to 2 in		2.00 2.50	
13 to 15 ft., 2 to $2\frac{1}{2}$ in	3.00	2.50	
— lanceolata, (viridis) 50'60'			een Ash
6 to 8 ft	1.10	95	.75
5 to 6 it		.,,	

ર્સ G }}⊷-	Unit 1-4	Price in Quan 5-24 2	tities 25-249
GINKGO biloba (Salisburia), 50'	-75′	Maidenhair	-tree
6 to 8 ft		2.00	1.60
8 to 10 ft	3.00	2.50	2.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		3.00	2.50
10 to 12 ft., 1½ to 1¾ in	4.75	4.00	3.25
10 to 12 ft., 1¾ to 2 in		5.25	4.25
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in			5.50 7.00
14 to 16 ft., $2\frac{1}{2}$ to 3 in	13.50	10.50	9.00
GLEDITSIA triacanthos, 60'-70'			
4 to 6 ft			.40
6 to 8 ft	.90	.75	.60
8 to 10 ft	1.25	1.00	
GYMNOCLADUS dioica, 40'-50'	Kent	ucky Coffee	etree
4 to 5 ft		1.25	1.00
5 to 6 ft			1.20
6 to 7 ft	2.40		
7 to 8 ft 8 to 10 ft		_	2.20 3.00
0 to 10 It	7.50	3.73	3.00
HALESIA tetraptera, 12'-15'	(Great Silve	rbell
3 to 4 ft		.37	.30
4 to 5 ft	.60		.40
5 to 6 ft	.90	.75 .95	.60
6 to 8 ft 8 to 10 ft			.75 1.00
HAMAMELIS virginiana, 10'-12'			
2 to 3 ft			.30
3 to 4 ft			.40
4 to 5 ft	.75		.50
5 to 6 ft	1.00		.70
6 to 8 ft			.90
HEDERA colchica dentata, 20'-50	o' Gia	ant English	
9 to 12 in., 3 in. pots	.25		
— helix, 20'-50'		English	
12 to 18 in., 3 in. pots	.20	.15	
— — baltica, 15'-25'	Har	dy English	Ivy
12 to 18 in., 3 in. pots	.25		
HIBISCUS syriacus (Althea), 10	'-12'	Shrub-al	thea
anemonaeflorus, double pink.			
ardens, double rose violet	coeles	tis, single l	olue.
Boule de Feu, double bright re	ed.		
Comte de Haimont, double pin		ite mottled	•
Jeanne d'Arc, semi-double whi			
purpureus plenus, double purp			
rubis, single red. Violet cl	air, d	ouble red r	ose.
W. R. Smith, single white.	27	22	1.6
2 to 3 ft	.27 .33	.22 .27	.16 .22
4 to 5 ft	.ss .45	.37	.30
5 to 6 ft		.50	
6 to 7 ft	.80	.65	
7 to 8 ft	1.00	.80	

HIBISCUS—continued	Unit 1-4	Price in Quantitie 5-24 25-2	
- Variegata, 6'-8' Variegated le	eaved	Rose-of-Share	on
2 to 3 ft	.35	.25 .	20
3 to 4 ft	.45	.35 .	30
4 to 5 ft	.60	.50 .	.40
HYDRANGEA arb. grandiflora al	ba		
(sterilis), 4'-5'	Snov	hill Hydrang	ea
18 to 24 in	.30	.25 .	.20
2 to 3 ft	.37		.25
3 to 4 ft	.52	.45 .	.35
— paniculata (type), 8'-9'	Par	nicle Hydrang	ea
18 to 24 in	.18		.12
2 to 3 ft	.22		.15
3 to 4 ft	.37		.25
4 to 5 ft	.52		.35
— grandiflora, 8'-9'	Pe	egee Hydrang	
18 to 24 in	.27		.16
2 to 3 ft	.33	·—·	.22
4 to 5 ft	.45 .60	· -	.30 .40
5 to 6 ft	.75		.50
— — standards		Tree Hydrang	68
2 to 3 ft., medium	.60		.40
3 to 4 ft., first class	.75		.50
4 to 5 ft., first class	.90		.65
5 to 6 ft., first class	1.35	1.10	90
— quercifolia, 3'-4'	Oak	leaf Hydrang	ea
18 to 24 in	.30	.25 —	
2 to 3 ft	.45	.37 —	
3 to 4 ft	.60	.50 —	
HYPERICUM aureum, 3'-4'	Golde	n St. Johnswo	rt
18 to 24 in	.30		.20
2 to 3 ft	.37		.25
3 to 4 ft	.45	.37	.30
— densiflorum, 4'-5'	20	25	20
18 to 24 in	.30		.20
$2\frac{1}{2}$ to 3 ft	.45		.30
3 to 4 ft	.52		.35
— kalmianum, 3'-5'	K	alm Hypericu	m
18 to 24 in	.30	. – v	.20
2 to 3 ft	.37		.25
3 to 4 ft	.45		.30
4 to 5 ft	.70	.55 Goldflow	
— moserianum, 2'	20		.20
9 to 12 in., 3½ in. pots			25
15 to 18 in., 5 in. pots		.00	40
ILEX crenata, 8'-10'		Japanese Hol	lly
12 to 15 in., B. & B	75		.50
15 to 18 in., B. & B		.95	75
18 to 24 in., B. & B.	1.50	1.25 1.	00
2 to 2½ ft., B. & B			50
2½ to 3 ft., B. & B	2.60	2.20 1.	.75

ILEX—continued	Unit Pri 1-4	ce in Qua 5-24	ntities 25-249
— — convexa (bullata), 4'-5'	Convex	leaved	Holly
9 to 12 in., B. & B		.70	.55
12 to 15 in., B. & B		1.00	.85
15 to 18 in., B. & B		1.50	1.25
18 to 24 in., B. & B		2.00	1.60
		.95	
12 to 15 in., B. & B		.95 1.25	.75 1.00
18 to 24 in., B. & B		1.90	1.50
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	4.10	3.50	2.75
— glabra, 5'-6'		In	kberry
18 to 24 in., B. & B		1.75	
2 to 2½ ft., B. & B		2.00	
2½ to 3 ft., B. & B		2.50	TT - 11
— opaca, 45'-50'		nerican	
18 to 24 in., B. & B		.95 1.90	.75 1.50
3 to 4 ft B. & B	_	2.80	2.25
4 to 5 ft., B. & B		3.75	3.00
5 to 6 ft., B. & B	5.50	4.50	
6 to 7 ft., B. & B	7.50	6.00	
— verticillata (prinos), 6'-8'		Winte	rberry
2 to 3 ft		.30	.25
3 to 4 ft		.37	.30
4 to 5 ft		.45 .55	.35 .45
6 to 7 ft		.33 .75	
INDIGOFERA potanini, 6'		otanin	
18 to 24 in		.55	
ITEA virginica, 3'-4'		Swe	etspire
18 to 24 in	.37	.30	.25
2 to 2½ ft	.45	.37	
$2\frac{1}{2}$ to 3 ft	.70	.55	
3 to $3\frac{1}{2}$ ft	.90	.75	.60
JASMINUM nudiflorum, 3'	W	inter J	asmine
12 to 18 in	.37	.30	.25
18 to 24 in			
2 to 3 ft	60	.50	.40
— stephanensis, 3'		20	25
18 to 24 in		.30	
JUNIPERUS chinensis, 15'-20'		inese J	
2 to 2½ ft B. & B		.95 1.25	.75 1.00
2½ to 3 ft., B. & B			
4 to 5 ft., B. & B	3.40	- 0 0	2.25
5 to 6 ft., B. & B	. 4.10	3.50	2.75
— — albovariegata (Argentea),			
Whit	eleaf Cl		
12 to 15 in., B. & B		.50	.40
15 to 18 in B. & B	4 65 65	.60	.50 .65
18 to 24 in., B. & B		.80 1.00	.80
2 to 2½ ft., B. & B		1.25	1.00
3 to 4 ft., B. & B		1.90	1.50
, =====================================			

JUNIPERUS—continued	Unit P 1-4	rice in Qu 5-24	antities 25-249
— — columnaris (pyramidalis),	 5'-20'		
Blue Colum		hinese .	Juniper
18 to 24 in., B. & B		.75	.60
2 to 3 ft., B. & B		1.20	
3 to 4 ft., B. & B		1.90	1.50
4 to 5 ft., B. & B	3.30		
5 to 6 ft., B. & B	4.20		2.80
6 to 7 ft., B. & B	5.60	4.75	
7 to 8 ft., B. & B			
8 to 10 ft., B. & B	9.00	7.50	6.00
— chinensis columnaris viridis, 18		hinaga	Tuninon
Green Colu			-
18 to 24 in., B. & B		.60	.50
2 to 3 ft., B. & B	1.10	.95 1.50	
3 to 4 ft., B. & B 4 to 5 ft., B. & B	2.60	2.20	
5 to 6 ft., B. & B	3.40		
6 to 7 ft., B. & B	4.50	3.75	3.00
7 to 8 ft., B. & B			
— keteleeri, 15'-18'	Kete	eleer Re	
18 to 24 in., B. & B.	.90	.75	.60
2 to 3 ft., B. & B	1.45	1.20	
3 to 4 ft., B. & B			
4 to 5 ft., B. & B 5 to 6 ft., B. & B		3.50	
6 to 7 ft., B. & B		4.75	3.75
·			
2 to 2½ ft., B. & B		hinese , .80	uniper
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			
— pfitzeriana, 5'-6'		Pfitzer .	Juniper
12 to 15 in., B. & B	.75	.60	.50
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.50	1.25	1.00
2 to 2½ ft., B. & B	1.90	1.50	1.25
2½ to 3 ft., B. & B	2.25	1.90	1.50 2.00
3 to 4 ft., B. & B 4 to 5 ft., B. & B	3.00 5.25		
5 to 6 ft., B. & B	6.75	5.50	
— sargenti (green), 1½'	Sa	argent .	Juniper
9 to 12 in., B. & B	.60	.50	
12 to 15 in., B. & B	.75	.60	
15 to 18 in., B. & B			
18 to 24 in., B. & B		1.50	
3 to 4 ft, B. & B	6.00	5.00	
·		hinese	Juniper
15 to 18 in., B. & B		.75	
18 to 24 in., B. & B		1.00 1.50	
	1,00	1.00	
18 to 24 in., B. & B	.60	.50	
2 to 2½ ft., B. & B	.75	.60	
2½ to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B	1.45	1.20	
4 to 5 ft., B. & B	2.00		

JUNIPERUS—continued	Unit P 1-4	rice in Qu 5-24	
— communis, 15'-25'	Co	mmon J	Juniper
2 to 3 ft., B. & B	1.25		
3 to 4 ft., B. & B	1.90		
4 to 5 ft., B. & B	2.70	2.25	
— communis aurea, 6'-10'		_	Tuninar
•		Golden J	
18 to 24 in., B. & B	.90	.75	.60
2 to 2½ ft., B. & B	1.20		
2½ to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B 4 to 5 ft., B. & B	2.25 3.40	1.90 2.80	1.50 2.25
—— canadensis, 5'-6'		anada .	Juniper
2 to 2½ ft., B. & B	1.00	.80	
	1.60		
3 to 4 ft., B. & B			
	2.75	2.25	
5 to 6 ft., B. & B	4.20	3.50	
— cracovica, 20'-30'		Polish .	Juniper
18 to 24 in., B. & B	.90	.75	.60
2 to $2\frac{1}{2}$ ft., B. & B	1.50	1.25	1.00
	1.80		
4 to 5 ft., B. & B	2.60	2.20	1.75
— — hibernica, 20'-30'		Irish.	Juniper
15 to 18 in., B. & B	.45	.37	.30
18 to 24 in., B. & B	.70	.55	.45
2 to 2½ ft., B. & B	.90	.75	.60
2½ to 3 ft., B. & B	1.10	.95	.75
3 to 4 it., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B	2.25	1.90	1.50
5 to 6 ft., B. & B	3.00	2.50	2.00
6 to 7 ft., B. & B	4.50	3.75	3.00
— suecica, 20'-30'	S	wedish	Juniper
18 to 24 in., B. & B	.75	.60	
/ - /	.80		
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			1.25
4 to 5 ft., B. & B			2.00
		wedish	Juniper
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	1.00	.80	
2½ to 3 ft., B. & B	1.35	1.10	
3 to 3½ ft B. & B		1.75	Tuninar
— excelsa stricta, 10'12'		Greek	
9 to 12 in., B. & B		.30	.25 .40
12 to 15 in., B. & B	.60	.50 .75	.60
15 to 18 in., B. & B	.90 1.30		.85
18 to 24 in., B. & B		1.25	1.00
2½ to 3 ft., B. & B	4 - 0		1.25
3 to 4 ft., B. & B			1.75
4 to 5 ft., B. & B	3.30		
5 to 6 ft., B. & B	. = ^	3.75	
— horizontalis (sabina prostrata		1 1/2'	
•		Ćreepin	g Savin
12 to 15 in., B. & B	.50	.40	
15 to 18 in., B. & B	.60	.50	
18 to 24 in., B. & B	1.00	.80	
2 to 2½ ft., B. & R	1.35	1.00	

JUNIPERUS—continued	Unit 1-4	Price in Qua 5-24	
— — depressa plumosa Plum	ed Sp	reading J	uniper
12 to 15 in., B. & B	_	_	.45
15 to 18 in., B. & B			.55
18 to 24 in., B. & B	1.20		
			.80 1.00
2 to 2½ ft., B. & B	2.25	1.23	
3 to 4 ft., B. & B	2.23	2.35	
— douglasi, 1'-1½'		ukegan J	
12 to 15 in., B. & B		.50	.40
15 to 18 in., B. & B		.75	.60
18 to 24 in., B. & B		1.00	.80
2 to 2½ ft., B. & B	1.50		
— glauca, 1'-1½'		Creeping	Savin
15 to 18 in., B. & B	.90	.70	
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
— — hudsonica, 1'-1½'		Hudson J	uniper
15 to 18 in., B. & B	.60	.50	
18 to 24 in., B. & B	.90	.70	
2 to 2½ ft., B. & B	1.25	1.00	
— japonica, 6'-8'		apanese J	_
12 to 15 in., B. & B			
15 to 18 in., B. & B		.95	
18 to 24 in., B. & B		1.25	1.00
2 to 2½ ft., B. & B			1.25
2½ to 3 ft., B. & B			
3 to 3½ ft., B. & B			
		teu Jap. J	uniper
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
$2\frac{1}{2}$ to 3 ft., B. & B	2.75		
— sabina, 6'-7'	60	Savin J	uniper .40
12 to 15 in., B. & B			.60
15 to 18 in., B. & B			
2 to 2½ ft., B. & B	1.50		1.00
2½ to 3 ft., B. & B		1.50	1.25
3 to 3½ ft., B. & B			
3½ to 4 ft., B. & B	3.00		
4 to 5 ft., B. & B			
— squamata meyeri, 3'-4'		Meyer J	uniper
9 to 12 in., B. & B	.60	.50	.40
12 to 15 in., B. & B		.75	.60
2 to $2\frac{1}{2}$ ft	2.25	1.90	_
$2\frac{1}{2}$ to 3 ft			
3 to $3\frac{1}{2}$ ft	4.50		
— virginiana, 35'-50'			dcedar
5 to 6 ft., B. & B			
6 to 7 ft., B. & B		3.00	
7 to 8 ft., B. & B			
8 to 10 ft., B. & B		6.50	
10 to 12 ft., B. & B	.10.00	9.00	

JUNIPERUS—continued	Unit 1-4	Price in Q 5-24	
— — burki, 10'-12'		Burks	Juniper
2 to 2½ ft., B. & B	3.00 3.75 5.00 7.00	.75 1.00 1.50 2.50 3.00 4.00 5.50 7.50	
— — cannarti, 12'-15'	Ca	nnart R	odoodor
18 to 24 in., B. & B	1.10 1.50 2.20 3.00 4.50	.95 1.25 1.80 2.50 3.75 5.50	.75 1.00 1.45 2.00 3.00 4.50
— — elegantissima, 12'-15'	\mathbf{G}_{0}	oldtip R	edcedar
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.50 2.20	.95 1.25 1.80 2.50 3.75	.75 1.00 1.45 2.00 3.00
— — glauca, 15'-20'	Ç	Silver R	edcedar
18 to 24 in., B. & B	1.20 1.80 2.40 3.00 3.90	3.25	.60 .80 1.20
—— globosa, 3'-4'	(Globe R	edcedar
2 to 2½ ft., B. & B	3.00 3.75	2.50 3.00	
— pendula, 25'-30'	We	eping R	edcedar
3 to 4 ft., B. & B 4 to 5 ft., B. & B			
—— pyramidalis, 35'-50'	Pyrar	nidal R	edcedar
18 to 24 in., B. & B	1.80 2.40	1.50 2.00	
— — schotti, 12'-15'	S	Schott R	edcedar
18 to 24 in., B. & B	1.50 2.20 3.00	1.25 1.80	1.00 1.45

	Unit I 1-4	Price in Qua 5-24	
KALMIA angustifolia, 7'-8'		La	mbkill
18 to 24 in., B. & B		1.50 2.00	
— latifolia, 8'-10'		Mountain	-laurel
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.50		1.00
2 to 2½ ft., B. & B	2.25		1.50 2.00
3 to 3½ ft, B. & B	3.75	3.00	2.50
KERRIA japonica, 4'-5'			Kerria
2 to 3 ft	.70	.55	.45
KOELREUTERIA paniculata, 25	′ -30 ′	Varn	ishtree
4 to 5 ft	1.00		
5 to 6 ft	1.25		
6 to 7 ft 7 to 8 ft	1.50 2.00		
KOLKWITZIA amabilis, 6'-8'	2.00	Reau	tybush
18 to 24 in	.50		
2 to 3 ft	.75		.45
3 to 4 ft	.90	.75	
.લિ ͳ ીવ.			
			1 1
LABURNUM vulgare, 25'-30'	.45	.37	enchain
2 to 3 ft		.50	
2 to 3 ft., 7 in. pots	.90	.75	
3 to 4 ft., 7 in. pots		1.00	
LARIX europaea (decidua), 50'-			
2 to 3 ft., B. & B	1.10 1.50	.95 1.25	.75 1.00
4 to 5 ft., B. & B	2.25	1.90	1.50
5 to 6 ft., B. & B	3.00	2.50	2.00
6 to 8 ft., B. & B 8 to 10 ft., B. & B	4.00 5.25	3.50 4.40	2.75 3.50
10 to 12 ft., B. & B	7.50	6.25	
12 to 14 ft., B. & B	10.50	8.25	7.50
— leptolepis (kaempferi), 50'-60'		Japanes	e Larch
6 to 8 ft., B. & B	3.00 3.25	2.50	
8 to 10 ft., B. & B	5.00		
12 to 14 ft., B. & B	7.50	6.25	
LESPEDEZA bicolor, 8'-10'	Sh	rub Bus	hclover
4 to 5 ft	.30	.25	
5 to 6 ft	.40	.30	
— formosa (Desmodium pendulifi 8'-10'		.), rple Bus	halovor
3 year	.25	.20	nciovei
4 year	.30		
5 year, extra heavy	.40	.35	4 -
LEUCOTHOE catesbaei, 3'-4'		oping Le	
12 to 15 in., B. & B	.52	:45	
15 to 18 in., B. & B	.75 1.10	·. 6 0	
2 to 2½ ft., B. & B	1.50	1.25	1.00


	Unit I 1-4	Price in Qua 5-24	
LIBOCEDRUS decurrens, 60'-75'		Incense	Cedar
3 to 4 ft., B. & B	4.25 5.50 7.00 9.00		
LIGUSTRUM amurense, 14'-15'		Amur	Privat
18 to 24 in	.08	.06	.04½
2 to 3 ft	.12	.09 .15	, –
— ibolium, 8'-10'		Ibolium	Privet
12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft.	.08 .11 .15 .18	.06 .09 .12 .15	.05 .07 .09 .12
— ibota, 9'-10'	•10		Privet
12 to 18 in	.12 .18	.10 .15	.08
2 to 3 ft	.22	.20 .27	.16 .22
— regelianum (cuttings), 5'-6		Regal	
12 to 15 in	.37	.30	.25
15 to 18 in	.45 .52	.37 .45	.30 .35
2 to 3 ft	.70	.55	.45
— — vicary, 8'-10'	Golde	en Ibota	Privet
18 to 24 in	.25	.20	.15
2 to 3 ft	.30 .40	.25 .35	.20 .30
— lucidum (macrophyllum), 20'		Glossy	
15 to 18 in., 3½ in. pots	.45	.35	
18 to 24 in., 5 in. pots	.75 .60		
— ovalifolium, 12'-15'	C	alifornia	Privet
12 to 18 in	.04	.021/2	.02
18 to 24 in	.05	, –	
2 to 3 ft	.07 .09	.05 .06	
4 to 5 ft	.15	.12	.10
— ovalifolium aureum, 8'-9'		Golden	Privet
12 to 18 in	.18	.15	.12
- 18 to 24 in	.22	.20 .25	.16 .20
		.23 European	
— vulgare, 10'-12' 2 to 3 ft	.15	.12	
3 to 4 ft	.22	.18	
4 to 5 ft	.30 .45	.25 .35	
*LIQUIDAMABAR styraciflua, 50	'-60'	Swe	etgum
4 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.50 3.00	2.05 2.50	$\frac{1.65}{2.00}$
8 to 10 ft., 1½ to 1¾ in	3.75	3.00	$\frac{2.50}{2.50}$
10 to 12 ft., 2 to 2½ in	4.50 5.25		

	Unit Pric	e in Quai 5-24	
*LIRIODENDRON tulipifera, 60'-	.80′	Tul	intree
4 to 6 ft	1.10		.75
	1.10	.95 1.25	
6 to 8 ft 8 to 10 ft	1.90	1.50	1.25
	2.25		1.50
. , , , , =	2.23		
10 to 12 ft., 1½ to 1¾ in	3.30		
	3.30	2.73	
LONICERA bella albida, 8'-9' Whit	e Belle	Honeys	suckle
2 to 3 ft	.25	.20	.15
3 to 4 ft	.30	.25	.20
	.37		
5 to 6 ft	.45	.37	.30
6 to 7 ft	.60	.50	.40
— fragrantissima, 6'-8'	Winter	Honeva	suckle
18 to 24 in	.25	.20	.15
2 to 3 ft	.30		
3 to 4 ft	.37	.30	.25
4 to 5 ft		.45	.35
	apanese		
2 year			
3 year	.22	.20	.15
4 year	.30	.25	.20
— halliana, 15'-25' Hall Ja			
1 year, $2\frac{1}{2}$ in. pots			.07
2 year		.15	.10
— korolkowi floribunda Broad l	.22 Blueleaf		
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.37 .45	.30	.30
4 to 5 ft	.60	.50	.40
— maacki, 8'-9'		Honey	
2 to 3 ft	.37	.30	.25 .35
4 to 5 ft	.52	.45 .55	.35 .45
	.70	.55	. 4 3
— — podocarpa, 8'-9'		Honey	
18 to 24 in		.25	.20
2 to 3 ft	.37	.30	.25
·	Morrow	_	
18 to 24 in		.20	.14
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
— nitida, 3'	Shiny	Honey	suckle
6 to 9 in., 3 in. pots	.25	.20	
9 to 12 in., 4 in. pots	.35	.30	
12 to 15 in., 5 in. pots	.55	.40	
15 to 18 in., 6 in. pots	.60	.50	
— pileata, 1½'-2'	Privet	Honey	suckle
6 to 9 in., 3 in. pots	.30	.25	
9 to 12 in., 4 in. pots		.35	
2 12 111, 1 111 pecen	•		

LONICERA—continued	Unit Pi 1-4		antities 25-2 4 9
— punicea Or			
3 year	ange Re		
4 year	37 45	.30 .37	.25
5 year	52	.45	.30 .35
— ruprechtiana, 8'-9' Mai	nchurian	Hone	ysuckle
2 to 3 ft	22	.20	.14
3 to 4 ft	27	.22	
4 to 5 ft	33	.27	.22
5 to 6 ft	37	.30	.25
- tatarica, Pink and White, 9'-1	0'		
	Tatarian	Honey	suckle
18 to 24 in	18	.15	.12
2 to 3 ft	22	.20	.15
3 to 4 ft	27	.22	.18
4 to 5 ft	33	.27	.22
5 to 6 ft	.37	.30	.25
— pulcherrima, 9'-10'			
Bright Red	Tatarian	Honev	suckla
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 tt	.45	.35	.30
4 to 5 ft	.52	.45	.40
—— sibirica, 9'-10' Red 7	Tatarian	Honey	suckle
2 to 3 ft	.25	.20	
3 to 4 ft	.30	.25	
4 to 5 ft		.35	
LYCIUM chinense, 10'-12' Chi	nese Ma	trimon	y-vine
18 to 24 in	.15	.12	.10
2 to 3 ft		.15	.12
3 to 4 ft	.22	.20	.15
			• 4
MAGNOLIA glauca, 15'-20'		Carro	othore
18 to 24 in., B. & B	.90	.75	eetbay
2 to 3 tt., B. & B	1.25	1.00	
3 to 4 ft., B. & B	2.00	1.60	
4 to 5 tt B. & B	2.50	2.00	
5 to 6 ft., B. & B	3.25	2.75	
6 to 8 ft., B. & B	4.50	3.75	•
— kobus, 20'-30'	Kob	us Mag	nolia
2 to 3 ft., B. & B.	.90	.75	
3 to 4 ft., B. & B.	1.25	1.00	
4 to 5 ft., B. & B	2.00	1.60	
5 to 6 ft., B. & B	2.50 3.50	2.00 2.75	
8 to 10 ft., B. & B	5.00	4.00	
- macrophylla, 25'-40'	•	-	_
4 to 5 ft., B. & B.		af Mag	ынопа
5 to 6 ft., B. & B.	4.25		
6 to 8 ft B. & B	6.00	-	



A block of young Junipers showing large scale production of quality evergreens. The spreading types are shown at the right, excelsa stricta is at the left. See pages 27, 28, 29, 30 and 31 for sizes and prices.



NURSERY GROWN OAKS

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best. Varieties, sizes and prices are listed on pages 49 and 50.

.



Thuja pyramidalis—Princeton grown means quality at low cost. Look on pages 61, 62 and 63 for complete listing of Arborvitae.



ORIENTAL PLANES

We specialize in shade trees and have one of the largest stocks in America

Planes are priced on page 45

MAGNOLIA—continued	Unit P 1-4	rice in Qua 5-24	
— soulangeana, 15'-18'	Sa	aucer Ma	-
2 to 3 ft., B. & B	1.50		
3 to 4 ft., B. & B		1.90	
4 to 5 ft., B. & B		2.50	
5 to 6 ft., B. & B.		3.75	3.00
6 to 8 ft., B. & B	6.00	5. 00	4.00
— — alba superba, 15'-18' La	rge Sa	aucer Ma	gnolia
2 to 3 ft., B. & B			
3 to 4 ft., B. & B		2.40	************
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
— alexandrina, 15'-18'		ınder Ma	
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
— — lenne:, 15'-18'	L	enne Ma	gnolia
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
		aucer Ma	_
2 to 3 ft., B. & B			
3 to 4 ft., B. & B 4 to 5 ft., B. & B.			
— stellata, 8'-10'		Star Ma	gnolia
18 to 24 in., B. & B		1.25	
2 to 2½ ft., B. & B		1.50	1.25
2½ to 3 ft., B. & B		2.20	1.75
3 to 4 ft., B. & B		3.00 4.40	2.50 3.50
4 to 5 ft., B. & B 5 to 6 ft., B. & B.		6.25	5.00
— tripetala, 30'-40'		rella Ma	gnolia
4 to 5 ft	1.35	1.10	.90
5 to 6 ft	2.00	1.70	1.35
6 to 8 ft	2.60		
8 to 10 ft	3.75	3.00	2.50
MAHONIA aquifolium, 4'-5'		on Holly	
12 to 15 in., B. & B	.70	.55	.45
15 to 18 in., B. & B	.90 1.10	.75	.60 .75
18 to 24 in., B. & B		.95 1.25	1.00
MALUS arnoldiana, 8'-10'		Arnolo	d Crab
5 to 6 ft.,	.90	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft	2.00	1.75	
— atrosanguinea, 10'-15'	00	Carmine	e Crab
4 to 5 ft 5 to 6 ft.,	.90 1.25	.70 1.00	
6 to 8 ft	2.00	1.75	
8 to 10 ft		2.50	
- baccata, 20'-25'		Siberiar	n Crab
3 to 4 ft	.7Ô		
4 to 5 ft	.90		
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.75	1.50	1
8 to 10 ft	3.00	2.50	

MALUS—continued	Unit 1-4	Price in Qu 5-24	
— — mandshurica	_		
3 to 4 ft	.70		
4 to 5 ft		.75	
5 to 6 ft	1.50		4 0 - 1
— coronaria, 15'-20'		Wild Swe	
2 to 3 ft		.60 .95	.50 .75
— floribunda, 10'-15' Japa	nese	Flowerin	g Crab
5 to 6 ft		1.00	
6 to 8 ft			
8 to 10 ft	3.00		
— — purpurea, 10'-15'			le Crab
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.80		
8 to 10 ft	2.20 3.30	1.80 2.75	
	3.30		——————————————————————————————————————
— halliana parkmani, 10'-15'	05	Parkma	in Crap
2 to 3 ft	.85 1.00	.65 .85	
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.90	1.50	
6 to 8 ft	2.70	2.25	
— hoppi, 12'-15' Hopa	\mathbf{Red}	Flowerin	g Crab
3 to 4 ft	.85	.65	
5 to 6 ft			
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.50	
10 to 12 ft	3.00	2.50	
— ioensis plena, 10'-15'	40		el Crab
2 to 3 ft	.60	.50	
3 to 4 ft	.95 1.25	.75 1.00	
5 to 6 ft	1.70	1.35	
6 to 8 ft	2.10	1.75	
— micromalus, 15'			
6 to 8 ft	1.65		
8 to 10 ft	2.50		
10 to 12 ft	3.25		
- niedzwetzkyana, 15'-25'		\mathbf{Redve}	in Crab
3 to 4 ft	.70	.50	
6 to 8 ft	1.70	1.45	
8 to 10 ft	2.70	2.25	
- Oekonomierat Echtermeyer, 1	0′-15	,	
3 to 4 ft	.75		
4 to 5 ft	1.00		
5 to 6 ft	1.50		
6 to 8 ft	2.00		~
— pumila pendula, 10'-15'		Weepir	ng Crab
2 to 3 ft. stem, 2 yr. head	.75		
3 to 4 ft. stem, 3 yr. head	1.00 1.35		
4 to 5 ft stem, 4 yr. head	1.33		
*			

MALUS—continued	Unit P	rice in Qua	ntities
on thing of		5-24	
— sargenti, 6'-8'		Sargen	t Crab
		.50 .75	
3 to 4 ft	.90 1.25	1.00	
— scheideckeri, 10'-15'	Sc	he id ecke:	r Crab
3 to 4 ft		.55	
4 to 5 ft		.70	
5 to 6 ft		1.00 1.75	
spectabilis, 15'-20' Ch	inese I	Flowering	g Crab
4 to 5 ft			
5 to 6 ft	1.25	1.00	
— theifera, 15'-20'	00		a Crab
3 to 4 ft			
MITCHELLA repens, 6"-8"	F	Partridge	Berry
2 in. pots	.15	.12	.10
MORUS alba, 35'-50'		Vhite Mu	•
6 to 8 ft 8 to 10 ft		.60 .9 5	
10 to 12 ft		1.25	
— — pendula, 8'-10' Tea	as Wee	eping Mu	lberry
2 year heads		1.00	
3 year heads		1.50	
MYRICA, carolinensis, 4'-5'		thern Ba	
15 to 18 in	.45 .60	.37 .50	.30
2 to $2\frac{1}{2}$ ft	.75	.60	.50
NANDINA domestica, 4'-6'		N	andina
9 to 12 in., 4 in. pots	.30		
12 to 15 in., 5 in. pots	.40 .50		
2 to 3 ft., B. & B	1.50		
*NYSSA sylvatica, 40'-60'		So	urgum
2 to 3 ft	.75		
3 to 4 ft	1.00 1.25		
4 to 5 ft	1.50		
OSMANTHUS aquifolium, 3'-4'	\mathbf{H}	olly Osm	anthus
9 to 12 in., own roots. 3 in. pots	.60	.50	
15 to 18 in., own roots, 6 in. pots	.90	TT 1	
OSTRYA virginiana, 25'-30'	1.30	Hophor	npeam
8 to 10 ft	1.65		
10 to 12 ft	1.90		

	Unit P	Price in Qua 5-24	
*OXYDENDRUM arboreum, 25'-3	80'	Sou	rwood
2 to 3 ft	.60	.50	
3 to 4 ft	.95	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.90	1.50	
6 to 7 ft	2.25		
7 to 8 ft	3.00		
PACHYSANDRA terminalis, 6"-8"	Ja		Spurge
2 in. pot grown		.08	.06
PHELLODENDRON chinense, 25		inese Co	nletnoo
9 to 10 ft			rktree
8 to 10 ft	2.50	2.00	
	3.00	2.50	
PHILADELPHUS avalanche, 4'-5'	Dwa	arf Mocke	orange
18 to 24 in	.22	.20	.14
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.24
- Bouquet blanc, 4'-5' White			
18 to 24 in	.18	.15	.12
2 to 3 ft	.27 .33	.22 .27	.16 .22
3 to 4 ft			
— coronarius, 9'-10'		eet Mock	
2 to 3 ft			.12
3 to 4 ft	.27 .30	.22 .25	.16 .20
		af Mock	
12 to 15 in	.22	.20	.15 .20
15 to 18 in	.30 .37	.25 .30	.25
2 to 2½ ft	.45		.30
2½ to 3 ft	.52	.45	.35
— grandiflorus, 7'-8' Big S	centle	ess Mocke	orange
2 to 3 ft		.15	.12
3 to 4 ft	.27	.22	.16
4 to 5 ft	.30		20
	.37		
6 to 7 ft	.52	.45	.35
		ine Mock	
18 to 24 in			
	.27		.18
3 to 4 ft	.37	.30	.25
— pubescens, 7'-8'		ary Mock	
2 to 3 ft			15
3 to 4 ft	.30		
4 to 5 ft	.37	.30	.25
— purpurascens, 7'-8' P			
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25

PHILADELPHUS—continued	Unit Prid 1-4	ce in Qua 5-24	
— virginalis, 7'-8'	Virginal	Mocko	range
18 to 24 in	_	.22	_
2 to 3 ft		.30	.25
3 to 4 ft		.45	.35
4 to 5 ft	.70	.55	.45
PHOTINIA subumbellata, 10'	. 		otinia
6 to 8 ft 8 to 10 ft			_
PHYSOCARPUS opulifolius, 9'-1			ebark
2 to 3 ft		.15	.12
3 to 4 ft		.20	.15
4 to 5 ft		.25	
5 to 6 ft		.30	.25
6 to 7 ft	52	.45	.35
— — aureus, 9'-10'	Goldl	eaf Nin	ebark
2 to 3 ft	.18	.15	.12
3 to 4 ft	22	.20	.15
4 to 5 ft	.30	.25	.20
5 to 6 ft	37	.30	.25
PICEA canadensis (alba), 50'-6	0′	White S	Spruce
18 to 24 in., B. & B	75	.6 0	.50
2 to 3 ft., B. & B.		.95	.75
3 to 4 ft., B. & B		1.50	1.25
4 to 5 ft., B. & B		1.70	
5 to 6 ft., B. & B	2.75	2.25	
6 to 8 ft., B. & B		3.25	
— canadensis glauca conica, 4'-	6′		
	Dwarf A	lberta S	Spruce
12 to 15 in., B. & B	. 1.25	1.00	
15 to 18 in., B. & B		1.50	
18 to 24 in., B. & B		2.50	
— engelmanni, 75'-100'	Enge	lmann s	Spruce
18 to 24 in., B. & B	. 1.10	.90	.75
2 to 3 ft., B. & B		1.50	1.25
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
6 to 7 ft., B. & B	4 4 4		
— excelsa, 80'-100'	N	orway S	Spruce
15 to 18 in., B. & B		.37	.30
18 to 24 in., B. & B		.50	.40
2 to 3 ft. B. & B		.75	.60
3 to 4 ft B. & B		.95	.75
4 to 5 ft., B. & B		1.50	1.25
5 to 6 ft., B. & B.		2.20	1.75
6 to 7 ft., B. & B		3.75	3.00
8 to 10 ft., B. & B.		5.00	4.00
	. 0,00	2.00	

×

WE SPECIALIZE IN GROWING SHADE TREES.
TURN TO PAGE 64 FOR COMPLETE
LIST ON LINDENS

PICEA—continued	Unit 1-4	Price in Qu 5-24	uantities 25-249
— pyramidalis, 35'-50' Pyran	nidal	Norway	Spruce
2 to 2½ ft., B. & B	2.25		
2½ to 3 ft., B. & B		-	
3 to 4 ft., B. & B	3.5 0		
4 to 5 ft B. & B	4.5 0		
— koyamai, 40'-50'	1	Koyamai	Spruce
12 to 15 in., B. & B	1.25	1.00	
15 to 18 in., B. & B	1.50	1.25	
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B	3.00		
— orientalis, 75'-100'		Oriental	
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	1.90		
2 to 2½ ft., B. & B	2.60 3.00		1.75
3 to 4 ft., B. & B	3.90		
4 to 5 ft., B. & B	5.00	4.00	
— polita, 60'-75'	${f T}$	iger-tail	Spruce
12 to 15 in., B. & B			
15 to 18 in., B. & B			
18 to 24 in., B. & B			
— pungens, 60'-80'		Colorado	_
12 to 15 in., B. & B			.30
15 to 18 in., B. & B		.50 .55	.40 .45
2 to 2½ ft., B. & B	.90	.75	.60
2½ to 3 ft., B. & B		1.00	.80
3 to 4 ft., B. & B		1.35	
4 to 5 ft B. & B			
5 to 6 ft., B. & B			
6 to 8 ft., B. & B			
— pungens glauca, 60'-80'			_
15 to 18 in., B. & B		.75	,60 85
18 to 24 in., B. & B			.85 1.25
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	5.25		
5 to 6 ft., B. & B	6.75		
6 to 8 ft., B. & B			
— kosteri, 60'-80'	Kos	ster Blue	
12 to 15 in., B. & B		1.10	.90
15 to 18 in., B. & B			
18 to 24 in., B. & B			1.75 2.25
2½ to 3 ft., B. & B			3.00
3 to 4 ft., B. & B			
4 to 5 ft., B. & B		5.50	
5 to 6 ft., B. & B			
6 to 7 ft., B. & B			
7 to 8 ft., B. & B	17.50	15.00	
—— specki, 60'-80'			
15 to 18 in., B. & B	2.00		
18 to 24 in., B. & B	2.50 3.50		
2 to 2½ ft., B. & B	0.50		

·	Unit Pi 1-4	rice in Quan 5-24	
PIERIS floribunda, 4'	Mounta	in Andro	meda
12 to 15 in., B. & B	1.25	1.00	
15 to 18 in., B. & B			
18 to 24 in., B. & B			
— japonica, 5'-6'		ese Andro	moda
· -	_		
12 to 15 in., B. & B			.65
15 to 18 in., B. & B			.80
2 to 2½ ft., B. & B			
PINUS banksiana, 60'-70'	2.20		Pine
12 to 14 ft., B. & B	6.50		
14 to 16 ft., B. & B			
— bungeana, 40'-50'		Lacebark	. Pine
6 to 9 in., 3 in. pots	75		
9 to 12 in., 3 in. pots	1.10	.95	.75
— densiflora, 60'-80'	Jap	anese Rec	l Pine
2 to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B		1.20	
4 to 5 ft., B. & B		1.60	
5 to 6 ft., B. & B	2.90	2.40	
6 to 7 ft., B. & B.			
— — umbraculifera (tanyosho)			
•	nanese	Umbrella	a Pine
12 to 15 in., B. & B	1.00		
18 to 24 in., B. & B		.00	
	-	1.50	
2 to 2½ ft., B. & B		2.00	
2½ to 3 ft., B. & B		2.75	
excelsa, 30'-60'		2.75 Iimalayar	Pine
		.75	.60
18 to 24 in., B. & B		1.25	1.00
•		2.00	1.60
3 to 4 ft., B. & B		2.85	2.40
4 to 5 ft., B. & B		4.05	3.25
5 to 6 ft., B. & B			4.00
	. 0.00		
— flexilis, 30'-40'	5 5 0	Limbe	Trine
5 to 6 ft., B. & B		4.50	
6 to 7 ft., B. & B		5.50	
7 to 8 ft., B. & B	. 9.00	7.5 0	
— montana, 10'		s Mountai	n Pine
15 to 18 in., B. & B		.60	
18 to 24 in., B. & B		.90	
2 to 2½ ft., B. & B		1.35	
2½ to 3 ft., B. & B		2.00	
3 to 3½ ft., B. & B			
3½ to 4 ft., B. & B	. 4.25	Mugh	o Pine
— montana mughus, 3'-4'	1 10	_	o Pine
12 to 15 in., B. & B	4 - 0	.95	.75
15 to 18 in., B. & B		1.25	1.00 1.25
18 to 24 in., B. & B		1.50	1.23
2 to 2½ ft., B. & B		1.75	
2½ to 3 ft., B. & B		2.40	
3 to 3½ ft., B. & B		3.25	
$3\frac{1}{2}$ to 4 ft., B. & B	5.25	4.40	

	Unit	Price in Qua	ntities
PINUS—continued	1-4	5-24	
— nigra, 60'-70'	•	Austria	
18 to 24 in., B. & B	75	.60	.50
A A A — " —	1.10	.95	.75
3 to 4 ft., B. & B	1.10	1.50	1.25
4 to 5 ft., B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B	4.10	3.50	2.75
6 to 7 ft., B. & B	5.25	4.40	3.50
7 to 8 ft., B. & B	6.75		4.50
8 to 10 ft., B. & B		7.50	6.00
— ponderosa, 100'-150'		ern Yellov	v Pine
4 to 5 ft., B. & B	2.50	-	
5 to 6 ft., B. & B			
6 to 7 ft., B. & B			
— resinosa, 60'-70'		Re	d Pine
18 to 24 in., B. & B	.75	.60	.50
2 to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B		1.50	1.25
4 to 5 ft., B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B	4.10	3.5 0	2.75
6 to 7 ft., B. & B	5.25	4.40	3.5 0
7 to 8 ft., B. & B	6.75	5.50	4.50
— strobus, 80'-100'		Whit	e Pine
18 to 24 in., B. & B		.75	.60
2 to 3 ft B. & B		1.25	1.00
3 to 4 ft., B. & B		2.00	1.60
4 to 5 ft., B. & B		2.65	2.25
5 to 6 ft., B. & B		3.50	2.75 4.00
6 to 7 ft., B. & B		5.00 7.00	6.00
8 to 10 ft., B. & B		8. 5 0	7.00
10 to 12 ft., B. & B			8.00
sylvestris, 25'-30'	12.00		h Pine
2 to 3 ft., B. & B	1.20	1.00	.80
3 to 4 ft., B. & B		1.25	1.00
4 to 5 ft., B. & B	2.40	2.00	1.60
5 to 6 ft., B. & B		2.85	2.40
6 to 7 ft., B. & B		4.40	3.50
7 to 8 ft., B. & B			4.50
8 to 10 ft., B. & B	9.00	7 .50	6.00
— thunbergi, 80'-100'	Japan	nese Blac	k Pine
18 to 24 in		.75	
2 to 3 ft	1.50		
3 to 4 ft	1.75		
4 to 5 ft		1.75	
PLATANUS occidentalis, 75'-100'			
American Planetree or		rican Syc	amore
8 to 10 ft., 1½ to 1½ in			
10 to 12 ft., 1½ to 1¾ in		noon Die	netros
— orientalis, 70'-80'		pean Pla	.85
6 to 8 ft 8 to 10 ft		1.05 1.25	1.00
8 to 10 ft., 1½ to 1½ in		1.23	1.25
10 to 12 ft., 1½ to 1¾ in	2.60		1.75
10 to 12 ft., 1/2 to 1/4 in			2.25
12 to 14 ft., 2 to 2½ in			3.00
12 to 14 ft., 2½ to 2½ in	6.00	5.00	4.00
13 to 15 ft., $2\frac{1}{2}$ to 3 in		6.00	5.0 0
16 to 18 t., 3 to 4 in	10.00		
18 to 20 ft., 4 to 5 in	15.00		

	Unit Pr 1-4	rice in Qu 5-24	antities 25-249
POLYGONUM auberti, 25'	$\mathbf{C}\mathbf{h}$	ina Fle	e cevine
2 year, medium	.27	.22	.18
2 year, strong	.37	.30	.25
POPULUS bolleana, 50'-60'			Poplar
6 to 8 ft	1.50 1.75	1.25	1.00
10 to 12 ft., $1\frac{\pi}{2}$ to $1\frac{3}{4}$ in	2.00		
10 to 12 ft., 13/4 to 2 in		2 25	
14 to 16 ft., 2½ to 3 in	3.50	2.75	
— eugenei, 60'-80'		arolina	Poplar
6 to 8 ft	.45	.37	.30
8 to 10 ft	.60 .85	.50 .70	.40 .55
— maximowiczii, 60'-80'			
6 to 8 ft	.90	ipanese .75	Poplar .60
8 to 10 ft	1.10		
10 to 12 ft	1.50	1.25	1.00
— nigra italica, 60'-80'		mbardy	Poplar
4 to 6 ft	.37	.30	.25
6 to 8 ft 8 to 10 ft	.52 .75	.45 .60	.35
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.00		
10 to 12 ft., 1½ to 1¾ in	1.50 2.00		
- simoni, 50'-60'	2.00	Cimon	Poplar
6 to 8 ft	.60		.40
8 to 10 ft			.50
POTENTILLA fruticosa, 3'-4'	Shru	bby Cin	quefoil
12 to 18 in	.18		.12
18 to 24 in 2 to 3 ft	.22 .30		
PRUNUS americana, 10'-12'		.25 Imerica	
2 to 3 ft	.25	.20	
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	
5 to 6 ft	.52		.35 Cherry
18 to 24 in	.37	•	.25
2 to 3 ft	_		.30
— cerasifera Othello, 12'-15'		ırplelea	
6 to 8 ft		.95 1.25	.75 1.00
8 to 10 ft		e Sand	
— cistena, 12'-15' 2 to 3 ft			.30
— glandulosa, 5'-6' Pink & Whi			
15 to 18 in	.37		.25
18 to 24 in	.52	.45	.35
2 to 3 ft	.70		.45
— maritima, 9'-10'	2 =		h Plum
18 to 24 in			.25
2 to 3 ft	.52 .70	.55	.45

PRUNUS—continued	Unit 1-4	Price in Qu 5-24	uantities 25-249
— padus, 30'-40'	Europ	ean Bird	Cherry
3 to 4 ft		.45	.35
5 to 6 ft		.50	
6 to 8 ft		.55	
8 to 10 ft			
10 to 12 ft			
		Din	Channy
– pennsylvanica, 25'-30'	75	.60	Cherry
4 to 6 ft	/3		.50
– serrulata, 40'-60'		Oriental	Cherry
8 to 10 ft	. 2.50		
10 to 12 ft., 2 to $2\frac{1}{4}$ in	. 3.20	2.70	
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.00	3.25	
12 to 14 ft., $2\frac{1}{2}$ to 3 in	6.00	5.00	
- sachalinensis (sargenti) 40'-5	0'	Yama	Cherry
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
3 to 4 ft		.60	.50
– subhirtella pendula, 12′-15′ V	Veepir	ig Japan	Cherry
5 to 6 ft. stems, 1 yr. heads	2.00	1.50	
5 to 6 ft. stems, 2 yr. heads	2.50	2.00	
5 to 6 ft. stems, 3 yr. heads	3.00		
4 to 6 ft. stems, 5 yr. heads,			
2 to $2\frac{1}{2}$ in	5.00		
$2\frac{1}{2}$ to 3 in	7.00		
3 to $3\frac{1}{2}$ in	9.00		
- — — flore plena, 12'-15'			
Double Flower	ering	Weeping	Cherry
5 to 6 ft. stems, 2 yr. heads	2.75	2.25	
- tomentosa, 6'-7'		Nanking	Cherry
2 to 3 ft	37	.30	.25
3 to 4 ft		.45	.23
4 to 5 ft		.55	.45
5 to 6 ft		.75	.60
6 to 8 ft		.95	.75
- triloba plena, 7'-8'	Doubl	eflowerin	
2 to 3 ft	.52	.45	.35
3 to 4 ft	70	.55	.45
JAPANESE CHE	RRIE	2	
Amanogawa (Lann. Amanoga			
3 to 4 ft		1.00	1 ()()
4 to 5 ft		1.25	1.00
5 to 6 ft	. 2.00	1.50	1.25
Amayadori, 25'-35'			
6 to 8 ft., 1½ to 1½ in	3.00		
8 to 10 ft., 1½ to 1¾ in			
Ichiyo (Serr. Hisakura), 25'-			= 0
3 to 4 ft		.60	.50
4 to 5 ft		.95	.75
5 to 6 ft		1.25	1.00
10 to 12 ft., 1½ to 2 in			
12 to 14 in., 2 to 2½ in	6.50		
EXTRA CHARGE FOR DIGGING	G CHI	ERRIES 1	B. & F

SEE B. & B. SCHEDULE, PAGE 1.

	Hait	Price in Oue	ntitios
PRUNUS—continued	1-4	Price in Qua 5-24	25-249
J. H. Veitch (Serr. Fugenzo)			LJ-L17
3 to 4 ft		.65	
4 to 5 ft		.80	
5 to 6 ft	1.50	1.25	
6 to 8 ft, 1½ to 1¾ in		2.25 3.00	
8 to 10 ft., 13/4 to 2 in			
Kanzan (Serr. Sekiyama) Kw			
3 to 4 ft 4 to 5 ft		.65 .80	
5 to 6 ft		1.00	
6 to 8 ft., 13/4 to 2 in	2.80	2.25	
8 to 10 ft., 2 to 2¼ in		3.00	
10 to 12 ft., 2½ to 2½ in			
· · · · · · · · · · · · · · · · · · ·		ouble pale	
3 to 4 ft		.75 .95	.60 .75
5 to 6 ft		1.25	1.00
6 to 8 ft		1.90	1.50
Ojochin (Lann. Ojochin), 25'			
5 to 6 ft., 11/4 to 11/2 in			
6 to 8 ft., 1½ to 1¾ in			
8 to 10 ft., 13/4 to 2 in	4.00		
Paul Wohlert, 25'-30'	2.00		
6 to 8 ft., 1½ to 2 in 8 to 10 ft., 2 to ½ in			
Serrulata Sekizan, 25'-30'		Double	Pink
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft		1.25	1.00
6 to 8 ft		1.50	1.25
Shirofugen (Serr. Alba-Rosea) 3 to 4 ft		.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft		1.25	1.09
6 to 8 ft., 1½ to ½ in		1.50	1.25
8 to 10 ft., 1½ to 1¾ in	3.50 5.00	3.00	
Watereri (Lann. Wateriri), 30			
8 to 10 ft., 2 to 2½ in			
10 to 12 ft., 2½ to 3 in	5.00		
yedoensis (Yoshino cherry),	35 ′		
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50 3.00	1.25	1.00
8 to 10 ft., 2½ to 2½ in			
10 to 12 ft., 2½ to 3 in			
12 to 14 ft., 3 to 3½ in	7.50		
PSEUDOTSUGA douglasi, 70'-80	,	Doug	las-fir
18 to 24 in., B. & B	.60	.50	.40
2 to 2½ ft., B. & B	.95	.75	.60
2½ to 3 ft., B. & B	1.00 1.25	.80 1.00	.65 .80
4 to 5 ft., B. & B		1.35	1.10
5 to 6 ft., B. & B	2.00	1.75	1.50
6 to 8 ft., B. & B 8 to 10 ft., B. & B	4.10 7.50	3.50 6.00	2.75 5.00
Extra broad specimen50%			5.00
	• • •		

	Unit Price	in Quanti 5-24	
PTELIA trifoliata, 20'-25'	Con	nmon Ho	ptree
3 to 4 ft		.37	_
4 to 5 ft	.60		
5 to 6 ft	.75	.60	.50
PYRACANTHA coccinea lalandi	9'-12'		
		nda Fire	thorn
12 to 18 in., 4 in. pots	.75	.60	.50
18 to 24 in., 6 in. pots	1.50	1.25	1.00
2 to 3 ft., 7 in. pots		1.90	
3 to 4 ft., 8 in. pots	3.00	2.50	2.00
NURSERY GROWN	N OAKS		
QUERCUS alba, 100'			e Oak
6 to 8 ft		1.50	1.25
8 to 10 ft 8 to 10 ft., 1½ to 1½ in		2.50 3.50	
9 to 11 ft., 1½ to 1¾ in		4.40	_
10 to 12 ft., 13/4 to 2 in	6.75	5.50	4.50
11 to 13 ft., 2 to $2\frac{1}{4}$ in	9.00	7.5 0	6.00
12 to 14 ft., $2\frac{7}{4}$ to $2\frac{7}{2}$ in	11.00	9.00	
— coccinea, 75'-90'		Scarle	et Oak
6 to 8 in			1.50
8 to 10 ft		2.80 3.50	2.25 2.75
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		4.40	3.50
10 to 12 ft., 13/4 to 2 in		5.30	4.25
12 to 14 ft., 2 to 2 ¹ / ₄ in		7.00	5.50
12 to 14 ft., 2½ to 2½ in		$9.50 \\ 10.00$	7.50
— macrocarpa, 75'-80'	. 12.00	Mossycu	n Oak
6 to 8 ft	. 2.25	1.90	1.50
8 to 10 ft		2.50	2.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	. 3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in		3.75 5.00	3.00 4.00
10 to 12 ft., 13/4 to 2 in			
12 to 14 ft., 2½ to 2½ in		7.50	
— palustris, 75'-90'			in Oak
6 to 8 ft		.95	.75 1.00
8 to 10 ft 8 to 10 ft., 1½ to 1½ in		1.25 1.50	1.00
10 to 12 ft., 1½ to 1¾ in		1.90	1.50
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
12 to 14 ft., 2 to 2½ in		4.40 5.50	3.50 4.50
12 to 14 ft., 2½ to 3 in		7.50	6.00
14 to 16 ft., 3½ to 4 in		8.50	
— phellos, 50'-60'	0.50	Willo	w Oak
8 to 10 ft 8 to 10 ft., 1½ to ½ in			
10 to 12 ft., 1½ to 1¾ in			
10 to 12 ft., 13/4 to 2 in	5.00		
12 to 14 ft., 2 to 2½ in	6.00		

NURSERY GROWN OAKS —continued	Unit Pri 1-4	ce in Quan 5-24 2	
— robur fastigiata, 35'-50' P	yramidal	English	Oak
4 to 5 ft., B. & B			
5 to 6 ft., B. & B 6 to 8 ft., B. & B.	5.25 6.75		
8 to 10 ft., B. & B		7.50	
— rubra, 75'-90'	Com	mon Red	Oak
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft 8 to 10 ft., 1½ to 1½ in		2.05 2.50	1.65 2.00
10 to 12 ft., $1\frac{\pi}{2}$ to $1\frac{3}{4}$ in	3.75	3.00	2.50
10 to 12 ft., 13/4 to 2 in		4.00	3.25
12 to 14 ft., 2 to 2½ in			4.00 5.50
14 to 16 ft., 3 to $3\frac{1}{2}$ in			
— velutina, 75'-90'		Black	Oak
6 to 8 ft	2.25	1.75	
8 to 10 ft 8 to 10 ft., 1½ to ½ in		2.50 3.00	
1½ to 1¾ in		3.50	
RETINOSPORA (See CHAMAEC	YPARIS)	
RHAMNUS caroliniana, 30'		a Bucktl	norn
	.45	.35	
4 to 5 ft 5 to 6 ft	.60 .90	.50 .75	
6 to 8 ft	1.50		
8 to 10 ft	2.00		
— cathartica, 9'-10'		n Bucktl	
2 to 3 ft	.30 .37	.25 .30	.20
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40
— frangula, 8'-9'		y Buckth	norn
2 to 3 ft	.30 .45	.25 35	
4 to 5 ft	.60		
5 to 6 ft	.75	.60	
RHODODENDRON carolinanum,			
		nododend	
12 to 15 in., B. & B	1.10	.95 1.00	.75
18 to 24 in., B. & B	2.00		
2 to 2½ ft., B. & B	2.50		
— catawbiense, 6'-9' Cat			
15 to 18 in., B. & B			.75 1.25
2 to 2½ ft., B. & B	2.60	2.20	1.75
$2\frac{1}{2}$ to 3 ft., B. & B	3.75	3.00	2.50
3 to $3\frac{1}{2}$ ft, B. & B	5.25	4.40	3.50

RHODODENDRON—continued	Unit	Price in Qu	antities
	1-4	5-24	25-249
	•	Rhodod	endron
Nursery Grown. Raised from 15 to 18 in., B. & B		.80	.65
18 to 24 in., B. & B			1.00
2 to $2\frac{1}{2}$ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B			
		Rhodod	
12 to 15 in., B. & B		1.25	enaron
15 to 18 in., B. & B			
18 to 24 in., B. & B		2.25	
HYBRID RHODODENDRONS, 3'	-8'		
— Album elegans—Blush-pink.	12-15	in., 15-	18 in.,
$18-24$ in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}$ -	3 ft.		
— Catawbiense grandiflora—Ro			5 in.,
15-18 in., $18-24$ in., $2-2\frac{1}{2}$	•		
— Everestianum—Rosy-lilac. 12-	-15 in.	, 15-18 i	n., 18-
$24 \text{ in., } 2-2\frac{1}{2} \text{ ft.}$			
- President Lincoln—Pink. 12-		15-18 i	n., 18-
24 in., 2-2½ ft., 2½-3 ft.			
- Roseum elegans—Rich pink.		in., 15-	18 in.,
18-24 in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$		1 25	1.00
12 to 15 in., B. & B 15 to 18 in., B. & B		1.25 1.70	
18 to 24 in., B. & B	3.00	2.50	2.00
2 to 2½ ft., B. & B	4.00	$\frac{3.50}{4.75}$	2.75
2½ to 3 ft., B. & B			
- Candidissima—White. 18-24			
— Caractacus—Red. 12-15 in.,			
$2-2\frac{1}{2}$ ft.	10 10	111., 10 2	2 1 111.,
- Dr. Dresselhuis—Bright red.	12-15	in 15-1	18 in
18-24 in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$		111., 10	111.,
- Ignatius Sargent—Deep pink.		in . 15-	18 in
18-24 in., 2-2½ ft.	12 10	111., 10	10 111.,
- Mrs. C. S. Sargent—Rich crim	son. 1	2-15 in	15-18
in., 18-24 in., 2-2½ ft., 2½			
- Roseum superbum-Deep pink		5 in., 15-	18 in.,
18-24 in., 2-2½ ft., 2½-3 f		·	
12 to 15 in., B. & B	1.50	1.25	
15 to 18 in., B. & B	2.25	1.75	
18 to 24 in., B. & B	3.25 4.50	2.75 3.75	
2½ to 3 ft., B. & B	6.00	5.00	
- Boule de Neige-White.			
12 to 15 in., B. & B	2.25	1.75	
15 to 18 in., B. & B	3.00	2.50	
18 to 24 in., B. & B	4.00	3.50	Zonnic
RHODOTYPOS kerrioides, 4'-5'	.25	White I	Xerria .15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25

RHUS—THE SUMACS	Unit F	rice in Qua 5-24	
RHUS canadensis (aromatica), 4'-	5′ F	ragrant S	Sumac
18 to 24 in	.37	.30	
2 to 3 ft	.52	.45	
3 to 4 ft	.70		
4 to 5 ft	.85		
— copallina, 12'-13'		Shining S	Sumac
15 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	
3 to 4 ft	.70	.55	.45
* — cotinus, 10'-12'		non Smo	ketree
	.60	.50	
3 to 4 ft	.75		
	1.00		
5 to 6 ft			
6 to 8 ft., special	2.70	2.25	
— glabra, 10'-12'	22	Smooth	
2 to 3 ft	.22	.20	.15
3 to 4 ft 4 to 5 ft	.30 .45	.25 .37	.20
5 to 6 ft	.60	.57 .50	.30 .40
6 to 8 ft	.75	.50 .60	.50
8 to 10 ft		.95	.75
— typhina, 15'-18'		Staghorn	
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37		.25
5 to 6 ft	.52	.45	.35
6 to 8 ft	.70	.55	.45
— typhina laciniata, 14'-15'	S	Shredded	Sumac
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	
ROBINIA hispida, 5'-6'		Rose	-acacia
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
— pseudoacacia, 60'-80'		Black	Locust
4 to 6 ft			
6 to 8 ft	.75	_	
8 to 10 ft	1.00	.90	
ROSA blanda, 4'-5'		Meado	w Rose
12 to 18 in	.22	.20	.15
18 to 24 in	.30	•	
2 to 3 ft	.45	.37	.30
— hugonis, 5'-6' Go	olden	Rose of	China
18 to 24 in	.45	.37	.30
2 to 3 ft	-	.50	.40

ROSA—continued	Unit I	Price in Quan 5-24	itities 25-249
— lucida, 5'-6'		Virginia	Rose
12 to 15 in		.20	.15
15 to 18 in		.25	.20
18 to 24 in	.37 .45	.30 .37	.25 .30
— multiflora, 9'-10'	.43		
18 to 24 in	.15	Japanese .12	.10
2 to 3 ft		.15	.12
3 to 4 ft	.22	.20	.15
4 to 5 ft	.30	.25	.20
— nitida, 3'-4'		Bristly	Rose
12 to 18 in		.25	.20
18 to 24 in	.37	.30 Swamp	.25
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.30	.25
— rubiginosa, 5'-6'		Sweet	brier
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.37 .45	.30 .37	.25 .30
— rubrifolia (ferruginea), 5'-6'	.73	Redleaf	_
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
— rugosa, 4'-5'	$R\epsilon$	ed Rugosa	Rose
12 to 18 in		.20	.14
18 to 24 in	.27 .37	.22 .30	.18 .25
rugosa alba 4'-5'		te Rugosa	
18 to 24 in		.37	.30
2 to 3 ft		.45	.35
— setigera, 5'-6'		Prairie	
18 to 24 in	.25	.20	.15
2 to 3 ft		.25 .30	.20 .25
- spinosissima, 4'	.55	Scotch	
12 to 15 in	.30		.20
15 to 18 in	.45	.30	.25
— wichuraiana, white, 10'-12'	7	Vichurian	
1 year	.25	.20	.15
2 year	.30	.25	.20
WICHURAIANA H	YBRID	S	
- Albertine, coppery yellow.			
- American Beauty, carmine.			
— Christine Wright, rose-pink.			
- Dr. Van Fleet, pale-pink.			
18 to 24 in		.22	.18
2 to 3 ft 3 to 4 ft		.30 .37	.25 .30
RUBUS odoratus, 6'		ring Raspl	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20

Unit Price in Quantities				
SALISBURIA adiantifolia (See G	HNK	GO)		
SALIX babylonica ,50'-60 Baby	lon '	Weeping	Willow	
4 to 6 ft			.60	
6 to 8 ft 8 to 10 ft			.75	
—— salamoni, 40'-50' Salan		Weening	Willow	
6 to 8 ft			.75	
8 to 10 ft		1.25 1.50		
— blanda, 40'-50' Wisco			.60	
6 to 8 ft			.75	
— caprea (bush form), 15'-20'				
Goat or Eu	ropea	_		
2 to 3 ft	.25 .30		.15 .20	
5 to 6 ft	.52		.35	
6 to 8 ft	.75	.60	.50	
— incana (rosmarinifolia), 8'-10		osemary	Willow	
2 to 3 ft	.30 .37	.25 .30	.20 .25	
4 to 5 ft	.45	.37	.30	
5 to 6 ft	.60	.50	.40	
6 to 7 ft	.90	.75	.60	
— pentandra, 20'-30'	75		Willow	
4 to 6 ft			.50 .60	
8 to 10 ft			.75	
— vitellina aurea, 30'-40' R	ussiai	n Golden	Willow	
4 to 6 ft			.50	
6 to 8 ft 8 to 10 ft			.60 .75	
— britzensis, 30'-40'	Bronz	e Golden	Willow	
4 to 5 ft				
5 to 6 ft	.90	.75	.60	
— — nova, 30'-40' 4 to 6 ft	90	.75	.60	
6 to 8 ft		.95	.75	
— pendula, 25'-30' We	eping	Golden	Willow	
4 to 6 ft				
6 to 8 ft 8 to 10 ft				
SAMBUCUS canadensis, 8'-9'		America	n Elder	
18 to 24 in		.15		
2 to 3 ft	.22		.15 .20	
4 to 5 ft			.25	
——————————————————————————————————————	tleaf	America	n Elder	
2 to 3 ft				
3 to 4 ft4 to 5 ft	.30	.25	.20 .25	

SAMBUCUS—continued	Unit 1-4	Price in Quai 5-24	
— aurea, 8'-9'		Golden	Elder
18 to 24 in	.33		.22
2 to 3 ft	.37	.30	
3 to 4 ft	.55	.47	.37
SCIADOPITYS verticillata, 50'-75	,	Umbrella	a Pine
12 to 15 in., B. & B	1.90		
15 to 18 in., B. & B			
SOPHORA japonica, 30'-40'	Chir	ese Schol	artree
2 to 3 ft	.75	.60	.50
3 to 4 ft		.75	
4 to 5 ft	1.50		
5 to 6 ft	2.25		
6 to 7 ft	3.00 3.75		
SORBARIA aitchisoni, 4'-5'			
2 to 3 ft			.20 .25
3 to 4 ft		.30 .37	
— sorbifolia, 4'-5'		ral False-	
18 to 24 in	.22	.20	
2 to 3 ft			
_ ·	_	in Mountai	
		.95	.75
6 to 8 ft			——
10 to 12 ft. 13/4 to 2 in	3.50		
SPIREA alba, 6'-7'	25	Meadow	_
2 to 3 ft	.25 .30		.16 .20
— albiflora (callosa alba), 3'		Japanese S	Spirea
15 to 18 in	.18	.15	
18 to 24 in	.22		
2 to 2½ ft	.30	.25	
— billiardi, 5'-6'	10	Billiard S	
2 to 3 ft	.18	.15 .20	.12 .16
3 to 4 ft	.25		.18
5 to 6 ft	.30	.25	.20
— bumalda, 3'		Bumalda S	
15 to 18 in	.18	.15	
18 to 24 in	.25	.20 .25	.16 .20
— — Anthony Waterer, 3' Anti-			
12 to 15 in	.15	.12	.10
15 to 18 in	.18	•	.12
18 to 24 in	.22	.20	.15
2 to 2½ ft	.33	.27	.22
— latifolia (salicifolia), 4'-5'			
18 to 24 in	.1 <i>Z</i>	.10	.12
2 to 3 ft	.25		
4 to 5 ft	.30	.25	
	.00		

SPIREA—continued	Unit F 1-4	Price in Qua 5-24	antities 25-249
— margaritae, 5'-6'	M	argarita	Spirea
18 to 24 in	.22 .30		_
— nipponica rotundifolia, 6'-7'	Big	g Nippon	Spirea
3 to 4 ft		.35	
4 to 5 ft		.45	
- opulifolia (See PHYSOCARPUS	s opul	ifolia)	
— prunifolia plena 7'-8'		Bridal	wreath
2 to 3 ft	.37	.30	.25
3 to 4 ft	.45		
4 to 5 ft	.55	.47	.37
5 to 6 ft	.70	.55	.45
— reevesiana, 7'-8'		Reeves	
18 to 24 in	.18	.15	.12
2 to 3 ft	.27	.22	.16 .20
3 to 4 ft	.30 .37	.25 .30	.25
— Fl. Pl. (Lanceata) 7'-8'			
18 to 24 in 2 to 3 ft	.22		.15
3 to 4 ft	.37	.30	.25
- sorbifolia (See SORBARIA sor			.20
— thunbergi, 4'-5'	\mathbf{T}°	hunberg	Spirea
18 to 24 in		.20	_
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
— tomentosa, 3'-4'		На	rdhack
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	
3 to 4 ft	.30	.25	.20
— trichocarpa, 5'-6'		Korean	Spirea
18 to 24 in	.22	.20	
2 to 3 ft	.30	.25	.20
— vanhouttei, 8'-9'		anhoutte	-
18 to 24 in	.12	.10	.08
2 to 3 ft	.18 .22	.15 .20	
4 to 5 ft	.30	.25	
5 to 6 ft	.40	.30	.25
STAPHYLEA colchica, 10'-12'	Cole	chis Blad	ldernut
18 to 24 in	.50	.40	
2 to 3 ft	.60	.50	
STEPHANANDRA flexuosa, 5'-6'	Cutlea	f Stepha	nandra
18 to 24 in	.18	.15	.12
2 to 3 ft	.22		
3 to 4 ft	.30		
4 to 5 ft		.30	.25
		o Stepha	
18 to 24 in			.20
2 to 3 ft	.37 .45	.30 .37	.25
о ю т и	٠+٥	.57	.50


	Unit Price in Quan 1-4 5-24 2		
STYRAX japonica, 12'-15'	Japa	anese Si	nowbell
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	
6 to 8 ft	2.10	1.75	
8 to 10 ft		2.50	
SYMPHORICARPOS chenaulti, 6	8′-8′		
	Chena	ult Sno	wberry
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	.15
3 to 4 ft	.30	.25	.20
— mollis, 4'-5'	Spread	ling Sno	wberry
18 to 24 in	_	-	.12
2 to 3 ft			.15
— racemosus, 5'-6'		Sno	wberry
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	•
3 to 4 ft	.30	.25	
— vulgaris, 4'-5'	.00	•	alberry
	10		
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	
3 to 4 ft	.30	.25	.20
SYMPLOCUS paniculata, 20'-25'	$\mathbf{A}\mathbf{s}$	iatic Sw	veetleaf
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
SYRINGA chinensis (rothomage	nsis), s	8'-9'	
2 to 3 ft	.37	.30	
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
— chinensis saugeana, 8'-9'	Purple	e Chines	se Lilac
2 to 3 ft		.30	
3 to 4 ft		.37	.30
4 to 5 ft		.50	.40
5 to 6 ft	.75	.60	.50
— japonica, 18'-20'	Japan	ese Tre	e Lilac
2 to 3 ft	.37	.30	.25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.50	1.25	1.00
— josikaea, 9'-10'	Н	ungaria	n Lilac
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft			.50
— villosa, 7'-8'		Lat	e Lilac
2 to 3 ft	.22	.20	.15
3 to 4 ft		.25	
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40

SYRINGA—continued	Unit Prio	ce in Quai 5-24	
— vulgaris, 12'-15'	Common	Purple	Lilac
18 to 24 in		.12	.10
2 to 3 ft		.15	.12
3 to 4 ft	25	.20	.15
4 to 5 ft	30	.25	.20
5 to 6 ft	45	.35	.25
6 to 7 ft		.45	.35
— — alba, 12'-15'	Common	White	Lilac
2 to 3 ft	30	.25	.20
3 to 4 ft	35	.30	.25
4 to 5 ft		.37	.30
5 to 6 ft	60	.50	.40

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

- Alphonse Lavalle, light purple, double.
- Charles Joly, red-mauve, semi-double.
- Charles The Tenth, reddish-purple, single.
- Hugo Koster, pale lilac, single.
- Ludwig Spaeth, reddish-purple, single.
- Marie LeGraye, white, single.
- Michel Buchner, lilac, double.
- Mme. Casimir Perier, white, double.
- Mons. John de Messmaker, light violet-red, single.
- Pres. Grevy, blue, double.
- President Poincare, violet, double.
- Reaumur, reddish-purple, single.
- Rubra de Marly, light blue, single.
- Vestale, white, single.
- Wm. Robinson, violet-pink, double.

18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.80	.65	.55
4 to 5 ft		.90	.70
5 to 6 ft	1.35	1.10	.90



Our Greenhouses are well equipped and manned with an efficient staff for propagating.

SYRINGA—continued

Unit Price in Quantities 1-4 5-24 25-249

.25

.30

.20

- Adelaide Dunbar, red-mauve, double.
- Bouss'ngault, light purple, double.
- Colbert, double, medium mauve.
- Congo, single, dark violet red.
- Captain Perrault, rosy-mauve, double.
- Florent Stepman, white, single.
- Katherine Havemeyer, double, light mauve.
- Lamartine, light violet, single.
- Le Printemps, pale lobelia, double.
- Louvain, light purple, single.
- Leon Simon, medium violet-red, double.
- Leon Gambetta, light mauve, double.
- Mme. Casimir Perier, double, white.
- Mme. F. Morel, light mauve, single.
- Marechal Lannes, light violet, double.
- Negro, single, deep violet-red.
- Waldeck Rosseau, double, light red-mauve.

18 to 24 in	.50	.45	
2 to 3 ft	.70	.55	
3 to 4 ft	.90	.75	
4 to 5 ft		1.00	
5 to 6 ft	1.50	1.25	

TAMARIX africana, 12'-14'	African Tamarix			
18 to 24 in	.18	.15	.12	
2 to 3 ft	.22	.20	.15	
3 to 4 ft	.30	.25	.20	

 — pentandra, 12'-15'
 Fivestamen Tamarix

 18 to 24 in.
 .22
 .20
 .14

 2 to 3 ft.
 .27
 .22
 .18

 3 to 4 ft.
 .37
 .30
 .25

TAXODIUM distichum, 75'-100' Common Baldcypress

3	to	4	ft.	В.	&	B	2.25	1.90	1.50
4	to	5	ft.	В.	&	B	3.00	2.50	2.00
5	to	6	ft.	В.	&	B	4.50	3.75	3.00
6	to	8	ft.	В.	&	B	6.00	5.00	4.00

×

EXTRA CHARGE FOR DIGGING LILACS, B. & B. SEE B. & B. SCHEDULE, PAGE 1.

×

WE SPECIALIZE IN GROWING SHADE TREES. SEE LISTING OF MAPLES, PAGES 3, 4, 5.

TAXUS—THE YEWS	Unit Pri 1-4	ce in Quan 5-24 2	tities 5-249
TAXUS baccata, 15 -20'		English	Yew
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B		.95	.75
, – ,	1.90	1.50	1.25
$2\frac{1}{2}$ to 3 ft B. & B	2.60	2.20	1.75
— — compacta (adpressa erecta) Upright Sl			Yew
18 to 24 in., B. & B		1.25	1.00
2 to 2½ ft., B. & B		1.90	1.50
2½ to 3 ft., B. & B		2.50	
3 to 4 ft., B. & B 4 to 5 ft., B. & B		3.75 4.50	3.00
	5.25	7.00	
— — erecta aurea, 12'-15' Golden Upright	: Shortl	eaf Eng.	Yew
12 to 15 in., B. & B			
15 to 18 in., B. & B			
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
— repandens, 18"-24" Spr	eading	English	Yew
15 to 18 in., B. & B		1.25	1.00
18 to 24 in., B. & B.			
2 to 2½ ft., B. & B		2.50 3.50	2.00 2.75
2½ to 3 ft., B. & B			
		English	_
,	2.25	1.90	1.50
18 to 24 in., B. & B		2.50	2.00
2 to 2½ ft., B. & B		3.50 4.40	2.75 3.50
— canadensis, 2'-21/2'	0.20	Canada	
15 to 18 in., B. & B	1.25	1.00	
18 to 24 in., B. & B		1.50	
— cuspidata, 10'-15' Spre			
15 to 18 in., B. & B	1.50	1.25	1.00 1.50
18 to 24 in., B. & B 2 to 2½ ft., B. & B	2.25 3.00	1.90 2.50	2.00
2½ to 3 ft., B. & B		3.25	2.75
3 to 3½ ft., B. & B		4.50	3.75
3½ to 4 ft., B. & B		6.00	5.00
4 to 5 ft., B. & B	10.00	8.00	7.00
5 to 6 ft., B. & B	15.00	12.50	
——————————————————————————————————————	right J	apanese	Yew
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B.	1.90	1.50	1.25
2 to 2½ ft., B. & B		2.50	2.00
2½ to 3 ft., B. & B		3.75 5.00	3.00 4.00
3 to 4 ft., B. & B	6.00 9.00	7.50	6.00
— hicksi, 20'-25'		Hicks'	
15 to 18 in., B. & B	1.35		.90
18 to 24 in., B. & B		1.70	
2 to 2½ ft., B. & B		2.20	
$2\frac{1}{2}$ to 3 ft., B. & B	3.75		2.50
3 to 4 ft., B. & B	4.10	3.50	

TAXUS—continued	Unit Price in Quantities 1-4 5-24 25-249		
— cuspidata nana (brevifolia),	2'-3'		
	Dwarf	Japanese	Yew
9 to 12 in., B. & B	1.30	1.05	.85
12 to 15 in., B. & B	1.90	1.50	1.25
15 to 18 in., B. & B		2.20	1.75
18 to 24 in. B. & B 2 to 2½ ft, B. & B		2.80 4.05	2.25 3.25
2½ to 3 ft. B. & B	6.25	5.25	3.23
3 to 3½ ft. B. & B	8.00	6.50	
— — thayeri, 6'-8'		Thayers	Yew
15 to 18 in. B. & B	1.90	1.50	1.25
18 to 24 in. B. & B 2 to 2½ ft. B. & B		2.50 3.00	2.00
— hatfield, 8'-10'	3.73	3.00 Hatfield	Yew
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B		2.50	2.00
2 to 3 ft., B. & B	4.50	3.75	3.00
— intermedia, 12'-15'		Hybrid	Yew
9 to 12 in. B. & B		.95	.75
12 to 15 in. B. & B		1.25	1.00
15 to 18 in. B. & B		1.50	1.25
18 to 24 in., B. & B		1.90 2.25	1.50
2½ to 3 ft., B. & B		3.50	
THUJA occidentalis, 15'-30'		can Arbor	
2 to 3 ft., B. & B		.60	
3 to 4 ft., B. & B		.80	.65
4 to 5 ft., B. & B	1.50	1.25 1.90	1.00 1.50
5 to 6 ft., B. & B 6 to 8 ft., B. & B			
8 to 10 ft., B. & B			3.25
10 to 12 ft., B. & B		6.25	5.00
— — compacta, 2½'-4'	Pars	ons Arbor	vitae
12 to 15 in., B. & B		.50	.40
15 to 18 in., B. & B		.60	.50
18 to 24 in., B. & B		.75	.60
2 to 2½ ft., B. & B		.95 1.25	.75 1.00
2½ to 3 ft., B. & B			1.25
— — douglasi aurea, 10'-15'			
	as Gold	len Arbor	vitae
3 to 4 ft., B. & B	1.35	1.10	
4 to 5 ft., B. & B			
5 to 6 ft., B. & B 6 to 8 ft., B. & B			
— elegantissima, 10'-15' Go			vitae
2 to 3 ft., B. & B		.60	.50
3 to 4 ft., B. & B			.75
4 to 5 ft., B. & B	1.50	1.25	1.00
5 to 6 ft., B. & B	2.25	1.90	1.50
6 to 7 ft., B. & B			2.25
7 to 8 ft., B. & B			
—— ellwangeriana, 4'-6' To			vitae
15 to 18 in., B. & B	./5 00	.60 .75	
18 to 24 in., B. & B 2 to 2½ ft., B. & B	1.20	1.00	
2 to 2/2 rti, D. & D	1.20	1.00	

THUJA—continued	Unit Pric 1-4	e in Qua 5-24	
— — globosa, 3'-4'	Globe	Arb	orvitae
12 to 15 in., B. & B		.55	.45
15 to 18 in., B. & B		.33 .70	·
18 to 24 in., B. & B			
2 to 2½ ft., B. & B		1.10	.90
2½ to 3 ft., B. & B		1.50	
— hoveyi, 3'-4'			orvitae
12 to 15 in., B. & B		.50	.40
15 to 18 in., B. & B		.60	.50
18 to 24 in., B. & B		.75	.60 .75
2 to 2½ ft., B. & B		.95 1.25	
2½ to 3 ft., B. & B		1.50	
—— lutea, 10'-15' George			
2 to 2 ½ ft., B. & B		.75	.65
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B		1.30	
4 to 5 ft., B. & B		2.00	
5 to 6 ft., B. & B			
6 to 7 ft., B. & B		3.75	
— — plicata, 10'-12'	Mos	s Arb	orvitae
2 to 3 ft., B. & B		.75	
3 to 4 ft., B. & B		.95	
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	2.60	2.20	1.75
6 to 7 ft., B. & B		3.00	2.50 3.50
7 to 8 ft., B. & B 8 to 10 ft., B. & B		6.00	
— — pyramidalis, 15'-30'			
18 to 24 in		.60	.50
2 to 3 ft. B. & B		.95	.75
3 to 4 ft. B. & B		1.50	1.25
4 to 5 ft., B. & B		1.90	1.50
5 to 6 ft., B. & B	3.00	2.50	
6 to 7 ft., B. & B		3.00	2.50
7 to 8 ft., B. & B		3.75 5.50	
8 to 10 ft., B. & B		7.50	
	Rosentha		
18 to 24 in., B. & B		.60	.50
2 to 2½ ft., B. & B	1.10	.95	.75
2½ to 3 ft., B. & B		1.25	
3 to 4 ft., B. & B		1.50	1.25
4 to 5 ft., B. & B		2.20	1.75
5 to 6 ft., B. & B	3.75	3.00	2.50
— umbraculifera, 2'-3'	Umbrella		
18 to 24 in., B. & B		.95	.75
2 to 2½ ft., B. & B 2½ to 3 ft., B. & B		1.25	
— vervaeneana, 8'-12'	Vervaene		
2 to 2½ ft., B. & B		.60	
2½ to 3 ft., B. & B	1.00	.80	.65
3 to 4 ft., B. & B.	1.35		.90
4 to 5 ft., B. & B.			1.25
5 to 6 ft., B. & B	2.25	1.90	1.50

THUJA—continued	Unit Price in Quantities 1-4 5-24 25-249		
——— aurea, 8'-12' Golden	Verva	ene Arbo	rvitae
2 to 2½ ft., B. & B	.90 1.10 1.50 1.80	.70 .90 1.15 1.50	
— occidentalis wareana, 12'-15'	Sibe	rian Arbo	rvitae
18 to 24 in. B. & B	1.00 1.20 1.90 3.00	1.00 1.50 2.50	1.25
- orientalis (Biota), 20'-25'	Orier	ntal Arbo	rvitae
3 to 4 ft. B. & B	.90 1.35 1.90 2.40	.75 1.10 1.50	.60 .90 1.25 1.60
— — aurea conspicua (Biota), 7	' '-8'		
	Goldsr	oire Arbo	rvitae
18 to 24 in., B. & B	1.10 1.90 2.00 3.75	.95	.75
— nana (Biota), $2\frac{1}{2}$ '-3'	a Col	don Arbo	nvitoo
Berckman 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in. B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	.90 1.25 1.75 2.75 3.75 4.75	.70 1.00 1.35 2.25 3.00 4.00	.50 .75
—— compacta (Biota), 3'-4'		oold Arbo	rvitae
18 to 24 in., B. & B	.90 1.65 2.00 2.50 3.75	3.00	
- orientalis elegantissima (Biota			
		mn Arbo	
2 to 2½ ft., B. & B	1.10 1.90 2.25 2.40 3.25 4.25	.95 1.50 1.90 2.00 2.50 3.50	.75 1.25 1.50

×

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

THUJA—continued		rice in Qu	
	1-4		25-249
TWO ARBORVITAE THAT A			
— plicata atrovirens (lobbi), 100		ant Arb	orvitae
2 to 3 ft. B. & B	1.25 1.90	1.00 1.50	
	2.50		
5 to 6 ft. B. & B6 to 7 ft., B. & B	4.50	3.75	
7 to 8 ft., B. & B			
•			orvitae
2 to 2½ ft., B. & B	1.10	.90 1.25	
2½ to 3 ft., B. & B			
4 to 5 ft., B. & B	2.50		
5 to 6 ft., B. & B	3.00	2.50	
TILIA—THE LIN	DENS		
TILIA americana, 75'-90'	Am	erican	Linden
6 to 8 ft		1.00	.75
8 to 10 ft., 1½ to 1½ in	1.80	1.50	
10 to 12 ft., 1½ to 1¾ in	2.25	2.00	
10 to 12 ft., 13/4 to 3 in	3.00 3.75		
12 to 14 ft., 2 to 2½ in			
14 to 16 ft., 2½ to 3 in	5.00	4.00	
16 to 18 ft., 3 to 3½ in			
- cordata, 70' Littlele	eaf Eu	ropean	Linden
6 to 8 ft	1.50	1.25	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.05	1.65
8 to 10 ft., 1½ to 1¾ in	3.40	2.80	
10 to 11 ft., 13/4 to 2 in	4.10	3.50	
10 to 12 ft., 2 to 2½ in	4.90 6.35	4.05 5.30	
— neglecta, 60'-75'	0.00		Linden
8 to 10 ft., 1½ to 1¾ in	2.75	2.25	
9 to 10 ft., 13/4 to 2 in	3.25	2.75	
10 to 11 ft., 2 to 2½ in	3.75	3.25	
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.50	3.75	
12 to 14 ft., 2½ to 3 in		3.50 5.00	
— petiolaris, 40'-60'			Lindon
6 to 8 ft	2.50	2.00	Linden
8 to 10 ft		2.50	
8 to 10 ft. $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	3.00	
10 to 11 ft., 1½ to 1¾ in		3.75	3.00
10 to 12 ft., 13/4 to 2 in		4.25	3.75
10 to 12 ft., 2 to 2½ in		5.00 7.00	4.25 5.50
			Linden
6 to 8 ft		1.25	1.00
8 to 10 ft	1.90	1.50	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		1.90	
8 to 10 ft., 1½ to 1¾ in		2.50	
8 to 10 ft., 13/4 to 2 in		3.00	2.50
10 to 12 ft 2 to $2\frac{1}{4}$ in	4.50 5.25	3.75 4.40	3.00 3.50
12 to 14 ft., 2½ to 3 in	6.00	5.00	
	2.00	0.00	


TILIA—continued	Unit P 1-4	rice in Qua 5-24	
— tomentosa (argentea), 40'-60'		Silver L	inden
6 to 8 ft	2.25 3.75 4.50 5.25 6.35 8.00 9.00	6.50	3.50 4.25
— vulgaris, 70'-90'	Eu	ropean I	inden
6 to 8 ft	1.50 2.00 2.50 3.00 3.50 4.25 5.25 6.00	2.00 2.50 2.90 3.55 4.40	2.85
THE HEMLOC	KS		
TSUGA canadensis, 75'-90'		nada He	
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B.	1.50 2.00 3.40 5.25 6.75 8.50		
— — pendula, 8'-10'	We	eping He	emlock
15 to 18 in., B. & B	2.40 3.75 5.00	2.00	
caroliniana, 50'-60'	Car	olina He	mlock
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft. B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.50 2.25 3.40 4.90 6.75		
— diversifolia, 30'-40'	Japa	nese Hei	nlocks
15 to 18 in., B. & B	2.25	1.25 1.90 2.50	1.50
— sieboldi, 40'-50'	S	iebold He	emlock
15 to 18 in., B. & B	1.50 2.25 3.00	1.25 1.90 2.50	1.00 1.50 2.00


()		Price in Quant	
{U}	1-4		5-249
ULMUS americana, 80'-100'		American	
6 to 8 ft	.60	.50	.40 .50
8 to 10 ft 8 to 10 ft., 1½ to ½ in	.75 .90	.60 .75	.60
9 to 11 ft., 1½ to 1¾ in	1.00	.90	.70
10 to 12 ft., 13/4 to 2 in	1.50	1.25	1.00
11 to 12 ft., 2 to 2½ in	2.25	1.90	1.50
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	$\frac{3.00}{2.75}$	2.50	2.00 2.50
12 to 14 ft., $2\frac{1}{2}$ to 3 in	3.75 5.25	3.00 4.40	3.50
14 to 16 ft., 3½ to 4 in		6.00	
16 to 18 ft., 4 to $4\frac{1}{2}$ in	10.00	9.00	
18 to 20 ft., $4\frac{1}{2}$ to 5 in	14.00	12.00	
— Moline, 80'-100'		Moline	Elm
6 to 8 ft	.75	.60	.50
8 to 10 ft 8 to 10 ft., 1½ to ½ in	1.00 1.35	.90 1.10	.70 .90
10 to 12 ft., 1½ to 1¾ in	1.90	1.50	1.25
10 to 12 ft., 13/4 to 2 in	2.60	2.20	1.75
11 to 12 ft., 2 to 2½ in	3.40	2.80	2.25
11 to 13 ft., 2½ to ½ in	5.00	4.00	
13 to 14 ft., 2½ to 3 in	6.00	5.00 Princeton	Flm
— "Princeton," 80′-100′ 6 to 8 ft	1.00	.80	.65
8 to 10 ft	1.35	1.10	.90
8 to 10 ft 1½ to 1½ in		1.50	1.25
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{1}{2}$ in	2.50	2.00	1.65
12 to 14 ft., 13/4 to 2 in	3.00	2.50	2.00 2.50
12 to 14 ft., 2 to 2¼ in		3.00	
10 to 12 ft., 1½ to 1¾ in		1.65	
10 to 12 ft., 13/4 to 2 in	2.40	2.00	
11 to 12 ft., 2 to 2¼ in	3.00	2.50	
12 to 14 ft., 2½ to 2½ in	4.90	4.00	
12 to 14 ft., 2½ to 3 in	6.00 8.00	5.00 6.50	
14 to 16 ft., 3 in	0.00	Chinese	Elm
5 to 6 ft	.75	.60	
6 to 8 ft	.95	.75	
8 to 10 ft	1.25	1.00	
8 to 10 ft., 1½ to ½ in	1.50	1.30	
10 to 12 ft., 1½ to 1¾ in	2.00 3.00		
11 to 13 ft., 2 to 2 ¹ / ₄ in	4.00		
		01.01	
VIBURNUM americanum (oxycoc			h a b
		Cranberry	.20
2 to 3 ft	.30 .37	.25 .30	.25
4 to 5 ft	.45	.37	.30
5 to 6 ft	.50	.45	.35
6 to 7 ft	.70	.55	.45
— cassinoides, 5'-6'	25	Withe	
18 to 24 in	.37 .45	.30 .37	.25 .30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60

VIBURNUM—continued		Price in Qua	
— dentatum, 10'-12'	1-4	5-24	25-249
·	20		whead
18 to 24 in	.30	.25 .30	.20 .25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	.45
6 to 7 ft	.75	.60	.50
— dilatatum, 8'-9'	Liı	nden Vibi	urnum
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft 4 to 5 ft	70 .85	.55 .70	.45 .55
5 to 6 ft	1.10	.95	.33 .75
— lantana, 15'-18'	1.10	Wayfarin	
18 to 24 in	.27	.22	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	.45
— lentago, 18'-20'		Nann	yberry
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90 1.10	.75 .95	.60 .75
7 to 8 ft	1.35	.93 1.10	.73
8 to 9 ft	1.65	1.35	1.10
— molle, 10'-12'	Kent	ucky Vib	urnum
3 to 4 ft		.30	
4 to 5 ft			.35
5 to 6 ft	.70		.45
6 to 7 ft	.85	.70	.55
— opulus, 9'-10' Euro	pean	Cranberr	rybush
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft		.30	
4 to 5 ft		.45	
5 to 6 ft		.55	.45
-		Cranber	
4 to 6 in		.20	.15
6 to 9 in			.20
9 to 12 in		.37 .50	.30 .40
		mmon Sn	
18 to 24 in	.30	.25	.20
2 to 3 ft			.25
3 to 4 ft		.37	.30
4 to 5 ft	.55	.47	.37
— prunifolium, 10'-12'		Bla	ckhaw
18 to 24 in			.45
2 to 3 ft		.75	.60
3 to 4 ft		1.20 1.50	.95 1.25
4 to 5 ft		rleaf Vib	
· · · · · · · · · · · · · · · · ·			.50
18 to 24 in. B. & B		.00 .95	.75
2 to 2½ ft., B. & B		1.25	1.00
2/2 to 0 Iti, D. & Di	_ •••		

VIBURNUM—continued	Unit Price in Quantities		
VIDCIM OM—Continued	1-4	5-24	
— sieboldi (japonicum), 9'-10'	Sieb	old Vibu	ırnum
18 to 24 in	.30	.25	.20
2 to 3 ft		.30	.25
3 to 4 ft		.45	.35
4 to 5 ft 5 to 6 ft		.55 .75	.45
— tomentosum, 7'-8'		ر. file Vibu	ırnım
18 to 24 in		.22	.16
2 to 3 ft		.25	.20
3 to 4 ft		.30	.25
4 to 5 ft		.45	.35
5 to 6 ft		.55	.45
— — plicatum, 7'-8'	Japar	nese Sno	owball
18 to 24 in	.30	.25	.20
2 to 3 ft		.30	.25
3 to 4 ft		.45	.35
4 to 5 ft		.55	.45
5 to 6 ft		.70	.55
— wrighti, 7'-8'		ght Vibi	
2 to 3 ft		.45 .55	.35 .45
4 to 5 ft		.55 .75	.60
5 to 6 ft		.95	.75
6 to 8 ft		1.25	1.00
	Periwinl	kle or 1	Myrtle
3 in pots	.15	.12	.09
VITEX agnus-castus, 4'-5'		ac Chast	te-tree
18 to 24 in	.22	.20	.15
2 to 3 ft		.25	.20
— macrophylla, 3'-4' Large lea	ved Lila	ac Chast	te-tree
12 to 18 in	.22	.20	.15
18 to 24 in		.25	.20
2 to 3 ft		.30	.25
3 to 4 ft	.52	.45	.35
%{ W }%			
WEIGELA amabalis, 7'-8'		Rose W	eigela
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	.15
3 to 4 ft		.25	.20
4 to 5 ft		.30	
5 to 6 ft		.40	
— candida, 7'-8'		hite W	
18 to 24 in		.15	.12
2 to 3 ft		.20	.15
3 to 4 ft		.22 .27	.18
5 to 6 ft		.30	.25
6 to 7 ft		.37	.30
	Redflow	ered W	eigela
12 to 18 in.	.18	.15	.12
18 to 24 in		.22	.18
2 to 3 ft		.27	.24
— floribunda, 8'		nson W	eigela
2 to 3 ft		.20	
3 to 4 ft		.25	
4 to 5 ft	.45 .50	.35 .45	
J to 0 It	.50	.43	

WEIGELIA—continued	Unit Price in Quantities 1-4 5-24 25-249		
— feerie, 6'-8'		Rose V	Veigela
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	
4 to 5 ft	.45	.37	.30
— nana variegata, 6'-8' Var	iegate	d Leaf V	Veigela
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.15
3 to 4 ft			.20
4 to 5 ft	.37 .50	.30 .45	.25 .35
— rosea, 7'-8'	.50		
18 to 24 in	10		Veigela
2 to 3 ft	.18 .22	.15 .18	.12 .15
3 to 4 ft	.27	.22	.18
4 to 5 ft		.30	.25
5 to 6 ft	.45	.37	.30
WISTERIA multijuga, 35'-50'	Longe	luster W	⁷ isteria
18 to 2 4in., grafts	.40	.35	
2 to 3 ft., grafts	.50	.45	
5 to 6 ft., grafts			
6 to 8 ft., grafts		1.50	
·		hinese W	⁷ isteria
18 to 24 in., grafts			
2 to 3 ft., grafts		.75	
4 to 5 ft., grafts			
			Ziatorio
—— rosea. 55 -50 nos	v We	ening w	isteria
—— rosea, 35'-50' Rosy			
3 to 4 ft., grafts	1.50		
3 to 4 ft., grafts	1.50 2.00	1.25	
3 to 4 ft., grafts	1.50 2.00	1.25	
3 to 4 ft., grafts	1.50 2.00 C .45 .60	1.25 hinese W .37 .50	7isteria .30 .40
3 to 4 ft., grafts	1.50 2.00 C .45 .60 .90	1.25 hinese W .37 .50 .75	7isteria .30 .40 .60
3 to 4 ft., grafts	1.50 2.00 C .45 .60 .90 1.10	1.25 	7isteria .30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 C .45 .60 .90 1.10 1.50	1.25 	7isteria .30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 C .45 .60 .90 1.10 1.50	1.25 	7isteria .30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 2.00 1.45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75 1.00 Needle .15
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	/isteria .30 .40 .60 .75 1.00 /isteria .30 .40 .60 .75 1.00 Needle .15 .20
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	/isteria .30 .40 .60 .75 1.00 /isteria .30 .40 .60 .75 1.00 Needle .15 .20
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	/isteria .30 .40 .60 .75 1.00 /isteria .30 .40 .60 .75 1.00 Needle .15 .20
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75 1.00 Needle .15 .20 .25
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	/isteria .30 .40 .60 .75 1.00 /isteria .30 .40 .60 .75 1.00 Needle .15 .20 .25
3 to 4 ft., grafts	1.50 2.00 2.00 C .45 .60 .90 1.10 1.50 te We .45 .60 .90 1.10 1.50	1.25 	7isteria .30 .40 .60 .75 1.00 7isteria .30 .40 .60 .75 1.00 Needle .15 .20 .25





How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE
PRINCETON
1766

